

Bid invitation

Information

Description:EMC/Bitumen&SuperThermolay app
Bid invitation number:6300034667

Bid invitation rules

Bid invitation currency: INR
Timezone: INDIA
Submission period: 11.12.2020 16:00:00
Opening date: 11.12.2020 16:00:00
Created On: 22.10.2020 07:30:36

Bid invitation text:

Note:

- 1) Delivery Terms: F.O.R. DOOR DELIVERY, EM DIVISION, BEML KGF.
- 2) Our Payment Terms:
Payment terms : 100% payment on 60th day from the date of receipt and acceptance. For MSEs payment term will be as per MSME act.
- 3) Please mention the GST Tax details & HSN code for the material in your bid clearly.
- 4) Supply to be done within 30 days from the date of release of Order.

Attachments:

Digital Signature

Bid invitation details

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
1	8700413275	INDUSTRIAL BITUMEN 85/125 GRADE BLOCK		00:00:00	1,500.000 KG

Item long text:

Bid invitation

Information

Description:EMC/Bitumen&SuperThermolay app
 Bid invitation number:6300034667

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
------	-------------------------	-------------	-----------------------	-----------------------------------	----------

OXIDISED BITUMEN FOR WATER PROOFING/OTHER APPLICATIONS.

SPECIFICATION:(1)AS PER IS: 702: 1988: LS GRADE:85/125, SPECIFIC GRAVITY@27DEG.C MINIMUM:1.01-, FLASH POINT PENSKY MARTENS CLOUSED TYPE.DEG CMINIMUM:225, SOFTENING POINT DEG.C: 80 to 90, PENETRATION @ 25DEG C,100g, 5SEC IN 1/100CM: 20 to 30, DUCTILITY @ 27DEG C IN CM MINIMUM : 3,LOSS ON HEATING, PERCENT BY WEIGHT MAX: 0.30, PERCENT BY WEIGHT SOLUBLEIN CARBON-DISULPHIDE. MIN : 99.(2) AS PER IS:1202: 1978, IS:1202: 1978

CGST - Central GST	%	_____
Basic Price	INR	_____
SGST - State GST	%	_____
IGST -Integrated GST	%	_____

2	8700470005	SUPERTHERMOLAY APP (OR) EQUIVALENT		00:00:00	800.000 M2
---	------------	------------------------------------	--	----------	------------

Item long text:

SPECIFICATION:APP BASED POLYMERIC MEMBRANE MINIMUM WEIGHING 3KG/SQ.MTS. AND MINIMUM3MM THICK REINFORCED WITH POLYSTER NONE WOVE FABRIC (WEIGHT NOT LESSTHAN 150 GMS PER SQ.MTS. PENATRATION @25 DEG. C: 25+/- 5SOFTENING POINT DEG. CENT. >/= 150HEAT RESISTANCE: 120DEG. CENT.TENSILE / LAP JOINT STRENGTH - A.LONGITUDINAL: 650 +/- 150, B.B. TRAVERSE: 450 +/- 100COLD FLEXIBILITY DEG. CENT: -2WATER ABSORPTION %: 0.2ELONGATION% @ 23 DEG. CENT- A.LONGITUDINAL: 40 +/- 10, B.TRAVERSE: 50+/- 10PUNCTURE RESISTANCE - A.STATIC INDENTATION: L-3, B.DYNAMIC INDENTATION:I-3

CGST - Central GST	%	_____
Basic Price	INR	_____
SGST - State GST	%	_____
IGST -Integrated GST	%	_____