

Bid invitation

Information

Description:EMNP/HP/HARDNESS STD BLOCK Bid invitation number:6300027962 Version: 1

INR
UTC+53
25.06.2019 17:00:00
25.06.2019 17:01:00
07.06.2019 03:38:12

Bid invitation text:

GENERAL TERMS & CONDITIONS:

1. Delivery Terms: FDD/ FOR BEML, KGF.

2. Payment Terms: 60 days from receipt & acceptance of item. For Micro / Small Enterprises, it is 30 days.

3. Micro & small enterprise bidders to indicate Udyog Adhaar Memorandum number (UAM) and declaration of UAM on CPPP in their bid.

4. Quote should be valid for minimum 60 days from the date of Bid opening. Bids with validity of less than 60 days are liable for rejection.

5. Firm to indicate GSTIN and applicable GST in their bid.

6. Firm to indicate HSN code for the items in the bid invitation.

7. Firm to indicate the time requirement for supply.

8. Warranty for the material to be specified.

9. Firm to indicate complete specification and other connected details in their bid.

10. L-1 evaluation will be based on item wise landed cost of technically accepted bids.

NOTE:-

1) In e- Bidding system - If you need any type of assistance, Please contact Mr. Krishna Mohan (Ph No – 080-22963269 / 22963141& Email – admin.srm@beml.co.in).

2) Please contact given below mail IDs for any type of technical clarification.

i) gvm@beml.co.in & ii) em5@beml.co.in

SCOPE OF MATERIAL SUPPLY

Required Make: WEST port / David L. Ellis Company / Wilson – Buehler / Qness / Phase II / Hudson / Mitutoyo / Zwick Roell / Indentec.

Bid invitation

Information Description:EMNP/HP/HARDNESS STD BLOCK Bid invitation number:6300027962 Version: 1

General conditions to be met

HSB150-250HBW HARDNESS STANDARD BLOCK

1. All hardness standard blocks shall be manufactured and standardized in accordance with ASTM E10 or ISO 6506 or equivalent international standard.

2. All hardness standard blocks shall have traceability to NIST or equivalent international standards

3. All hardness standard block certificates should report mean hardness value, load, group of measured values, repeatability and measurement uncertainty.

4. All hardness standard blocks shall have mirror polished surface.

HSB350-450HBW HARDNESS STANDARD BLOCK

1. All hardness standard blocks shall be manufactured and standardized in accordance with ASTM E10 or ISO 6506 or equivalent international standard.

2. All hardness standard blocks shall have traceability to NIST or equivalent international standards

3. All hardness standard block certificates should report mean hardness value, load, group of measured values, repeatability and measurement uncertainty.

4. All hardness standard blocks shall have mirror polished surface

HSB500-600HBW HARDNESS STANDARD BLOCK.

1. All hardness standard blocks shall be manufactured and standardized in accordance with ASTM E10 or ISO 6506 or equivalent international standard.

2. All hardness standard blocks shall have traceability to NIST or equivalent international standards

3. All hardness standard block certificates should report mean hardness value, load, group of measured values, repeatability and measurement uncertainty.

4. All hardness standard blocks shall have mirror polished surface.

Attachments:

Digital Signature

Bid invitation details								
ltem	Product Price Conditio	Description n	Vendor produc number	t Delivery date/ performance perio	Quantity od			
1	0085GVM05635	HSB150-250HBW HARDNESS STANDAR BLOCK	D	00:00:00	1 NO			
	CGST - Central	GST	%					
	SGST - State GS	ST ST	%					
	Basic Price	I	NR .					
	IGST -Integrated	IGST	%					
2	0085GVM05645	HSB350-450HBW		00:00:00	1 NO			

Bid invitation

Information

Description:EMNP/HP/HARDNESS STD BLOCK Bid invitation number:6300027962 Version: 1

ltem	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
		ARDNESS STANDARE LOCK)		
	CGST - Central GS	ST %			
	SGST - State GST	%			
	Basic Price	11	IR		
	IGST -Integrated G	ST %	,		
3	RD366GVM0124 HSB500-600HBW HARDNESS STANDARD BLOCK			00:00:00	1 NO
	CGST - Central GS	ST %			
	SGST - State GST	%			
	Basic Price	11	IR		
	IGST -Integrated G	ST %	•		