

Information

Description: YMN/TOOLING FOR AXLE HSNG BH205E/2019/MK
Bid invitation number: 6300030957

Bid invitation rules

Bid invitation currency: INR Timezone: UTC+53

 Submission period:
 11.01.2020 14:00:00

 Opening date:
 11.01.2020 14:30:00

 Created On:
 26.12.2019 04:41:36

Bid invitation text:

TENDER TERMS AND CONDITIONS:

- 1. PAYMENT TERMS: 100% payment on receipt and acceptance of the material on 60th day. If firm/firms are quoting payment terms as Advance/Proforma Invoice, firm has to agree to provide Bank Guarantee from a scheduled commercial bank for 110% of their invoice value, only then advance payment will be made. If firm does not agree for the same and only quotes for Advance/Proforma Invoice, such bids are liable for rejection and their offer will not be considered and next lowest technically acceptable offer will be considered. The BG should be valid for a period till the material is received and accepted by BEML.
- 2. PRICES: Prices are firm till the execution of the Order.
- 3. DELIVERY TERMS: Delivery as per BEML Schedule.
- 4. DESPATCH TERMS: F.O.R. BEML MYSORE
- 5. VALIDITY: 60 Days from the date of opening of the Bid.
- 6. RISK PURCHASE CLAUSE: BEML Risk Purchase Clause will be applicable.
- 7. LD CLAUSE: BEML LD CLAUSE will be applicable in case of delay in delivery.
- 8. TAXES: Firm has to mention HSN Code and applicable GST.
- 9. The tenders should confirm to BEML specifications, make and conditions in every detail and any tender not conforming to BEML specifications and conditions will be summarily rejected.
- 10. Any amendment to this tender will be published only in BEML website and not in CPP portal. Vendors to note this
- 11. Drawing/Attachment if any are attached in the Notes and Attachments section.
- 12. Vendors to attach any details/attachments related to the tender in the Notes and Attachment section.

Any item specific remarks / comments can be mentioned in "Bidders Remarks" column under Item Data. Please contact our SRM Team for guidance on submission of bids in SRM system.

Phone number: (080) 22963269 / 22963141

Information

Description: YMN/TOOLING FOR AXLE HSNG BH205E/2019/MK
Bid invitation number: 6300030957

E-mail ID: admin.srm@beml.co.in

Please contact Materials Department, Mysore Complex for any technical clarifications.

Phone number: (0821) 2400503 / 2400225 E-mail ID: ymn1@beml.co.in/ymn@beml.co.in

Attachments:

SRM TERMS AND CONDITIONS

TOOL-DRAWINGS-8902

Digital Signature

Bid invitation details						
Item	Product	Description	Vendor product	Delivery date/	Quantity	
	Price Condition		number	performance period		
1		Finish Boring Bar Assy for		28.03.2020 00:00:00	1.000 SET	
		dia 304.67 mm				

Item long text:

SCOPE OF SUPPLY: Finish Boring Bar Assy. GPL 200 mm to 220mm as perDrawingT007430013045.For Dia 304.67 +0.05.Finish Boring Bar Assyas per drawing T007430013045 consists of1) ISO 50 DIN 69871 Taper shank Basic holder, Qty:01 number2) Extension: Qty:01 number3) Fine Boring tool, Range: 248-315 mm, Qty:01 number.4) Inserts: to suit boring bar,Qty:10 nosISO 50 DIN 69871 Taper shank Basic holder, fine Boring head and Insertsshould be considered as a SET and should be procured from One Sourceonly.Firm should enclose detail catalog of the offered products along withQuotation.Acceptable Brands: SANDVIK,WALTER, KENNAMETAL,ISCAR.

	SGST - State GST	%		
	Discount on Basic	%		
	CGST - Central GST	%		
	Basic Price	INR		
	IGST -Integrated GST	%		
2	T007430003045 Rough Boring Bar Ass dia 304.67 mm	y for	28.03.2020 00:00:00	1.000 SET

Item long text:

SCOPE OF SUPPLY: Rough Boring Bar Assy. GPL 190mm to 210mm as perDrawingT007430003045.For Dia 304.67 +0.05.Rough Boring Bar Assy as per drawing T007430003045 consists of1) ISO 50 DIN 69871 Taper shank Basic holder,2) Extension: Qty:01 number3) Rough boring tool,Range: 290-380mm4) Inserts: to suit boring bar,Qty:10 nosISO 50 DIN 69871 Taper shank Basic holder, Boring head and Insertsshould be considered as a SET and should be procured from One Sourceonly.Firm should enclose detail catalog of the offered products along withQuotation.Acceptable Brands: SANDVIK,WALTER, KENNAMETAL,ISCAR.

SGST - State GST	%	

Information

Description:YMN/TOOLING FOR AXLE HSNG BH205E/2019/MK Bid invitation number:6300030957

Item	Product Price Condition	Description on	Vendor product number	Delivery date/ performance period	Quantity
	IGST -Integrated	d GST	%		
	Basic Price		INR _		
	CGST - Central	GST	%		
	Discount on Bas	sic	%		
3	T007430001005	Rough Boring Bar As dia 100 mm	sy for	28.03.2020 00:00:00	2.000 SET
SCO 100 + shanl 89-11 Exter from	-0.035.Rough Boi k Basic holder, G I6mm, Qty:01nun nsion,Twin-edge r One Source only.	ring Bar Assy asper dra hty:01 number.2) Extens hber.3) Inserts: to suit b roughBoring head and I	awing T007430001005 sion: Qty:01 nmber.2) Tooring bar,Qty:10 nosIS nserts should be considetail catalog of the offer	mm as perDrawingT0074 consists of1) ISO 50 DIN Fwin-edge rough Boring had 50 50 DIN 69871 Taper shared as a SET and shoured products along withQu	69871 Taper ead, Range: nank Basic holder, ld beprocured
	SGST - State G	ST	%		
	Discount on Bas	sic	%		
	CGST - Central	GST	%		
	Basic Price		INR		
	IGST -Integrated	d GST	%		
4	T007430000605	Rough Boring Bar As dia 60 mm	sy for	28.03.2020 00:00:00	1.000 SET
SCOR 60.Ro holde Inser Inser catalo	ough Boring Bar A er, Qty:01 number ts: to suit boring b tsshould be consi	Assy as per drawing T0 2) Extension: Qty:01 no par,Qty:10 nosISO 50 D idered as a SET and sh products along withQuo ST sic GST	07430000605 consists umber3) Rough boring DIN 69871 Taper shank nould be procured from	mm as perDrawingT0074 of1) ISO 50 DIN 69871 T tool, Range: 55-71mm, Q Basic holder, Boring hea One Sourceonly.Firm sho	aper shank Basic ty:01 number.4) d and
5	T007430011005	Finish Boring Bar Ass	sy for	28 03 2020 00:00:00	1 000 SFT

dia 100 mm

Information

Description: YMN/TOOLING FOR AXLE HSNG BH205E/2019/MK
Bid invitation number: 6300030957

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
Item long text: SCOPE OF SUPPLY: Finish Boring Bar Assy. GPL 290 mm to 310 mm as perDrawingT007430011005.For Dia 100 +0.035.Finish Boring Bar Assyas per drawing T007430011005 consists of1) ISO 50 DIN 69871 Taper shank Basic holder, Qty:01 number.2) Extension: Qty:01 number.3) Fine Boring head, Range: 86-107mm,Qty:01 number.4) Inserts: to suit boring bar,Qty:10 nosISO 50 DIN 69871 Taper shank Basic holder,Extension, fine Boring headand Inserts should be considered as a SET and should be procured fromOne Source only.Firm should enclose detail catalog of the offered products along withQuotation.Acceptable Brands: SANDVIK,WALTER, KENNAMETAL,ISCAR.					
	IGST -Integrated GS	ST %			
	Basic Price	IN	R		
	CGST - Central GS	Т %			
	Discount on Basic	%			
	SGST - State GST	%			
6		nish Boring Bar Assy for a 205.00 mm	•	28.03.2020 00:00:00	1.000 SET
SCO		sh Boring Bar Assy. GP g Bar Assy as per drawi		•	

205.00 +0.05.Finish Boring Bar Assy as per drawing T007430012055 consists of1) ISO 50 DIN 69871 Taper shank Basic holder,Qty:01 number2) Extension: qty:01number.3) Fine Boring tool, Range: 148-215mm, Qty:01 number.4) Inserts: to suit boring bar,Qty:10 nosISO 50 DIN 69871 Taper shank Basic holder, fine Boring head and Insertsshould be considered as a SET and should be procured from One Sourceonly.Firm should enclose detail catalogof the offered products along withQuotation.Acceptable Brands: SANDVIK,WALTER, KENNAMETAL,ISCAR.

	Discount on Basic	%		
	CGST - Central GST	%		
	Basic Price	INR		
	IGST -Integrated GST	%		
	SGST - State GST	%		
7	T007430003005 RBB for Dia 300 mm,GPL=190 to 210) mm	28.03.2020 00:00:00	1.000 SET

Item long text:

Rough Boring Bar Assy. GPL 190mm to 210mm as per DrawingT007430003005.For Dia 300.00 +0.05.Rough Boring Bar Assy as per drawing T007430003005 consists of1) ISO 50 DIN 69871 Taper shank Basic holder,2) Extension: Qty:01 number3) Rough boring tool, Range: 248-300mm4) Inserts: to suit boring bar,Qty:10 nosISO 50 DIN 69871 Taper shank Basic holder, Boring head and Insertsshould be considered as a SET and should be procured from One Sourceonly.Firm should enclose detail catalog of the offered products along

Information

Description:YMN/TOOLING FOR AXLE HSNG BH205E/2019/MK Bid invitation number:6300030957

Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
uotation.Acceptable	Brands: SANDVIK,W	/ALTER, KENNAME <u>T</u>	AL,ISCAR.	
SGST - State GST		%		
Discount on Basic		%		
CGST - Central GS	ST	%		
Basic Price		INR		
IGST -Integrated G	ST	%		
		y for	28.03.2020 00:00:00	1.000 SET
PE OF SUPPLY: Ro 0 +0.05.Rough Bori k Basic holder,2) Ex g bar,Qty:10 nosISC dered as a SET and	ng Bar Assy as per dr tension: Qty:01 numbo 50 DIN 69871 Taper I should be procured f	awing T007430002055 er.3) Rough boring tool shank Basic holder, E rom OneSource only.F	5 consists of1) ISO 50 DIN I,Range: 180-250mm4) In xtension,Boring head and irm should enclose detail	N69871 Taper serts: to suit Ilnserts should be catalog of the
SGST - State GST		%		
Discount on Basic		%		
CGST - Central GS	ST	%		
Basic Price		INR		
IGST -Integrated G	SST	%		
		nm	28.03.2020 00:00:00	1.000 SET
g Bar Assy as per dusion: Qty:01 number N 69871 Taper shared be procured from the suctation. Acceptable SGST - State GST Discount on Basic	rawing T00743000198 er.3) Rough boring too nk Basic holder, Exter OneSource only.Firm e Brands: SANDVIK,W	55 consists of1) ISO 50 I, Range: 148-200mm4 Ision,Boring head andI should enclose detail of	DIN69871 Taper shank I) Inserts: to suit boring banserts should be consider catalog of the offered products	Basic holder,2) ar,Qty:10 nosISO red as a SET and
	Price Condition Acceptable SGST - State GST Discount on Basic CGST - Central GS Basic Price IGST -Integrated G T007430002055 F d Iong text: PE OF SUPPLY: Ro O +0.05.Rough Boric Basic holder,2) Ex D bar,Qty:10 nosISO dered as a SET and od products along wi SGST - State GST Discount on Basic CGST - Central GS Basic Price IGST -Integrated G T007430001955 F Integrated G T007430001955 F Integrated G T007430001955 F Integrated G T007430001955 F Integrated G SGST - State GST Discount on Basic CGST - Central GS Basic Price IGST -Integrated G SGST - State GST Discount on Basic CGST - Central GS Basic Price IGST - State GST Discount on Basic CGST - Central GS Basic Price	Price Condition Ruotation.Acceptable Brands: SANDVIK, W. SGST - State GST Discount on Basic CGST - Central GST Basic Price IGST -Integrated GST T007430002055 Rough Boring Bar Assydia 205.00 mm Iong text: PE OF SUPPLY: Rough Boring Bar Assy. O +0.05.Rough Boring Bar Assy as per drawing bar, Qty:10 nosISO 50 DIN 69871 Taper dered as a SET and should be procured from products along with Quotation. Acceptable SGST - State GST Discount on Basic CGST - Central GST Basic Price IGST -Integrated GST T007430001955 RBB for Dia 195 mm,GPL=240 to 260 m Iong text: h Boring Bar Assy. GPL 240 mm to 260m g Bar Assy as per drawing T00743000195 asion: Qty:01 number.3) Rough boring too N 69871 Taper shank Basic holder, Exterd be procured from OneSource only. Firm Puotation. Acceptable Brands: SANDVIK, W. SGST - State GST Discount on Basic CGST - Central GST Basic Price	Price Condition Ruotation.Acceptable Brands: SANDVIK,WALTER, KENNAMETA SGST - State GST Discount on Basic CGST - Central GST Basic Price INR IGST - Integrated GST Rough Boring Bar Assy for dia 205.00 mm Iong text: PE OF SUPPLY: Rough Boring Bar Assy. GPL 240 to 260mm m 0 +0.05.Rough Boring Bar Assy as per drawing T007430002056 Basic holder, 2) Extension: Qty:01 number.3) Rough boring too gbar, Qty:10 noslSO 50 DIN 69871 Taper shank Basic holder, Eddred as a SET and should be procured from OneSource only. Find products along withQuotation.Acceptable Brands: SANDVIK, VSGST - State GST Discount on Basic CGST - Central GST Basic Price INR IGST -Integrated GST T007430001955 RBB for Dia 195 mm,GPL=240 to 260 mm Iong text: In Boring Bar Assy. GPL 240 mm to 260mm as per DrawingT00 gBar Assy as per drawing T007430001955 consists of 1) ISO 50 ision: Qty:01 number.3) Rough boring tool, Range: 148-200mm/4 N 69871 Taper shank Basic holder, Extension,Boring head and d be procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose detail of the procured from OneSource only. Firm should enclose	Price Condition number performance period protation. Acceptable Brands: SANDVIK, WALTER, KENNAMETAL, ISCAR. SGST - State GST Discount on Basic CGST - Central GST Basic Price INR IGST - Integrated GST T007430002055 Rough Boring Bar Assy for dia 205.00 mm Iong text: PE OF SUPPLY: Rough Boring Bar Assy. GPL 240 to 260mm mm as perDrawingT0074300 + 0.05. Rough Boring Bar Assy as per drawing T007430002055 consists of1) ISO 50 DIN 69 Bar, Qty:10 nosISO 50 DIN 69871 Taper shank Basic holder, Extension, Boring head and dered as a SET and should be procured from OneSource only. Firm should enclose detail and products along withQuotation. Acceptable Brands: SANDVIK, WALTER, KENNAMETAL GST - Central GST Basic Price INR IGST - Integrated GST T007430001955 RBB for Dia 195 mm,GPL=240 to 260 mm Iong text: h Boring Bar Assy. GPL 240 mm to 260mm as per DrawingT007430001955. For Dia 195. g Bar Assy as per drawing T007430001955 consists of1) ISO 50 DIN69871 Taper shank Ision: Qty:01 number.3) Rough boring tool, Range: 148-200mm4) Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69871 Taper shank Basic holder, Extension, Boring head and Inserts: to suit boring both 69