

Bid invitation

Information

Description:EMN1/1060018050/LED STREET LIGHT

Bid invitation number:6300031976

Bid invitation rules

Bid invitation currency: INR

Timezone: UTC+53

Submission period: 17.03.2020 17:00:00

Opening date: 17.03.2020 17:00:00

Created On: 26.02.2020 03:51:53

Bid invitation text:

GENERAL TERMS & CONDITIONS:

1. Delivery Terms: FDD/ FOR BEML, KGF.
2. Payment Terms: 60 days from receipt & acceptance of item. For Micro / Small Enterprises, it is 30 days.
3. Micro & small enterprise bidders to indicate Udyog Adhaar Memorandum number (UAM) and declaration of UAM on CPPP in their bid.
4. Quote should be valid for minimum 60 days from the date of Bid opening. Bids with validity of less than 60 days are liable for rejection.
5. Firm to indicate GSTIN and applicable GST in their bid.
6. Firm to indicate HSN code for the items in the bid invitation.
7. Firm to indicate the time requirement for supply.
8. Warranty for the material to be specified.
9. Firm to indicate complete specification, make, and other connected details in their bid. If not indicated in the bid liable for rejection.
10. L-1 evaluation will be based on item wise landed cost of technically accepted bids.

NOTE:-

- 1) In e- Bidding system - If you need any type of assistance, Please contact Mr. Krishna Mohan (Ph No – 080-22963269 / 22963141& Email – admin.srm@beml.co.in).
- 2) Please contact given below mail IDs for any type of technical clarification.
 - i) em5@beml.co.in & ii) ese@beml.co.in

Attachments:

Digital Signature

Bid invitation

Information

Description:EMN1/1060018050/LED STREET LIGHT
Bid invitation number:6300031976

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
1	8700246245	LED STREET LIGHT: 80W		00:00:00	100 NO

Item long text:

Energy efficient 80W LED Street Light OUTDOOR

TECHNICAL SPECIFICATIONS;-

LED STREET LIGHT

RATING: 80W +/- 10%, 170 - 270V, 50HZ,

LUMENS OF LED FIXTURE > 6400 LUX WITH WIDE BEAM ANGLE> 120 DEG

THD<12%, CRI: 70-80, CCT: 5500 - 6500 K,

STARTING: flicker free instant starting, IP65 protection,

HOUSING: pressure die cast aluminium with efficient heat sink with

JUNCTION TEMP < 60 deg c.

Internal Wiring: Insulated Cu wire, Hardware: SS & MS Zinc plated Lens: Suitable high efficient secondary

lens.Front Cover: Clear toughened glass

ELECTRICAL PROTECTION:, Open circuit & Short circuit protection, reverse polarity protection, over voltage & surge protection, high voltage cut off at 300V±10V and 4KV Internal Surge protection

DRIVER TYPE: constant voltage/constant current output integrated driver built into fitting / fixture

MOUNTING TYPE: : POLE/ PIPE MOUNTING(Pole mounting, suitable up to 50mm OD pipe bracket.)

MAKE: NICHIA/OSRAM/PHILIPS/CREE/BRIDGELUX/EESL/CROMPTON/SURYA/HALONIX , PANASONIC ,ORIENT ,BAJAJ ONLY.

1. WARRANTY. 3 Years with complete fitting replacement only accepted in case of failure. Service replacement of Driver or LED will not be accepted

2. TEST CERTIFICATES: firm should provide lm 79 (luminary test report) from nabl/ govt. approved labs and lm 80 (led test report) from oem of led chip.

3. CATALOGUE: firm should submit product catalogue and complete technical specifications of led fixture along with the offer.

4. NOTE: LED products to be complying to BIS safety standards.

LED STREET LIGHT

RATING: 80W +/- 10%, 170 - 270V, 50Hz,

LUMENS OF LED FIXTURE > 6400 LUX WITH WIDE BEAM ANGLE> 120 DEG

THD<12%, CRI: 70-80, CCT: 5500 - 6500 K,

STARTING: FLICKER FREE INSTANT STARTING, IP65 PROTECTION,

HOUSING: PRESSURE DIE CAST ALUMINIUM WITH EFFICIENT HEAT SINK WITH

JUNCTION TEMP < 60 DEG C.

LED MAKE: NICHIA/OSRAM/PHILIPS/CREE/BridgeLux ONLY.

ELECTRICAL PROTECTION: SHORT CIRCUIT, OVER VOLTAGE & SURGE PROTECTION

Driver type: Constant voltage/Constant Current output integrated driver

Bid invitation

Information

Description:EMN1/1060018050/LED STREET LIGHT
 Bid invitation number:6300031976

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
		built into fitting / fixture MOUNTING TYPE: POLE/ PIPE MOUNTING APPLICATION: OUT DOOR/ STREET LIGHTING			
		UTGST	%		
		Basic Price	INR		
		CGST - Central GST	%		
		IGST -Integrated GST	%		
		SGST - State GST	%		