

Company
Dummy Vendor
BEML Soudha
23/1, 4th Main, SR Nagar
560027 BANGALORE
INDIA

Bid invitation

Information

Description:YMN/Torque Wrench/2020/MK-28124
Bid invitation number:6300032091

Bid invitation rules

Bid invitation currency: INR
Timezone: INDIA
Submission period: 26.03.2020 14:00:00
Opening date: 26.03.2020 14:30:00
Created On: 04.03.2020 03:31:00

Bid invitation text:

1. **PAYMENT TERMS:** 100% payment on receipt and acceptance of the material on 60th day. If firm/firms are quoting payment terms as Advance/Proforma Invoice, firm has to agree to provide Bank Guarantee from a scheduled commercial bank for 110% of their invoice value, only then advance payment will be made. If firm does not agree for the same and only quotes for Advance/Proforma Invoice, such bids are liable for rejection and their offer will not be considered and next lowest technically acceptable offer will be considered. The BG should be valid for a period till the material is received and accepted by BEML.
2. **PRICES:** Prices are firm till the execution of the Order.
3. **DELIVERY TERMS:** Delivery as per BEML Schedule.
4. **DESPATCH TERMS:** F.O.R. BEML MYSORE
5. **VALIDITY:** 60 Days from the date of opening of the Bid.
6. **RISK PURCHASE CLAUSE:** BEML Risk Purchase Clause will be applicable.
7. **LD CLAUSE:** BEML LD CLAUSE will be applicable in case of delay in delivery.
8. **TAXES:** Firm has to mention HSN Code and applicable GST.
9. The tenders should confirm to BEML specifications, make and conditions in every detail and any tender not conforming to BEML specifications and conditions will be summarily rejected.
10. Any amendment to this tender will be published only in BEML website and not in CPP portal. Vendors to note this
11. Drawing/Attachment if any are attached in the Notes and Attachments section.
12. Vendors to attach any details/attachments related to the tender in the Notes and Attachment section.

Any item specific remarks / comments can be mentioned in "Bidders Remarks" column under Item Data.
Please contact our SRM Team for guidance on submission of bids in SRM system.
Phone number: (080) 22963269 / 22963141
E-mail ID: admin.srm@beml.co.in

Bid invitation

Information

Description: YMN/Torque Wrench/2020/MK-28124
 Bid invitation number: 6300032091

Please contact Materials Department, Mysore Complex for any technical clarifications.
 Phone number: (0821) 2400503 / 2400225
 E-mail ID: ymn1@beml.co.in/ymn@beml.co.in

Attachments:

GENERAL TERMS AND CONDITIONS

Bid invitation details

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
1	T007443201505	Torque Wrench, 1/2" Drive, 20-150 ft. lb		00:00:00	6 NO

Item long text:

Torque Wrench, 1/2" Drive, Micrometer Adjustable, Metal Handle, DualScale, 20-150 ft. lb. (34 -197Nm):Ratchet reversible head & Click type Torque wrench 1/2" SquareDrive,with Micrometer Adjustable, Metal Handle, Dual Scale,Torque range 20 -150 ft Lbs./ 34 - 197 Nm. Adjustable in 1Lb./1.4 Nm increments. Dualscale, Fast, accurate and easy to set, calibrated in dual directionwith Easy-to-readlaser marked scales. Tool should have Positive lockwith spring loaded pull down lock ring. Tool should have quick releasebuttons which provide good socket retention as well as easy socketremoval. Accuracy: +/- 3% CW, +/- 4% CCW of indicated value, CW, from20% to 100% of full scale. Overall length: 480 to 500mm, and weight :Approximately 1.6 Kgs. Acceptable Brand: SNAPON CDI, NORBAR, TOHNICHI,GEDORE.FIRM'S SHOULD ENCLOSE DETAIL CATALOG AND AUTHORISED DEALER CERTIFICATEALONG WITH QUOTATION.TOOLS SHOULD BE SUPPLIED WITH CALIBRATION CERTIFCATE CERTIFIED BY NABLACCREDITED LAB.

CGST - Central GST	%	_____
Basic Price	INR	_____
Discount on Basic	%	_____
IGST -Integrated GST	%	_____
SGST - State GST	%	_____

2	T007443302505	Torque Wrench, 1/2" Drive,30-250 ft. lb		00:00:00	6 NO
---	---------------	--	--	----------	------

Item long text:

Torque Wrench, 1/2" Drive, Micrometer Adjustable, Metal Handle, DualScale, 30-250 ft. lb. (47-332 Nm):Ratchet reversible head &Click type Torque wrench 1/2" SquareDrive,with Micrometer Adjustable, Metal Handle, Dual Scale,Torque range 30 -250 ft Lbs./ 47-332 Nm. Adjustable in 1Lb./1.4 Nm increments. Dualscale, Fast, accurate and easy to set, calibrated in dual directionwith Easy-to-read laser marked scales. Tool should have Positive lockwith spring loaded pull down lock ring. Tool should have quick releasebuttonswich provide good socket retention as well as easy socketremoval. Accuracy: +/- 3% CW, +/- 4% CCW of indicated value, CW, from20%to 100% of full scale. Overall length: 620 to 650mm, and weight :Approximately 1.6 Kgs. Acceptable Brand: SNAPON CDI, NORBAR, TOHNICHI,GEDORE.FIRM'S SHOULD ENCLOSE DETAIL

Bid invitation

Information

Description: YMN/Torque Wrench/2020/MK-28124
 Bid invitation number: 6300032091

Item	Product	Description	Vendor product number	Delivery date/ performance period	Quantity
CATALOG AND AUTHORISED DEALER CERTIFICATE ALONG WITH QUOTATION. TOOLS SHOULD BE SUPPLIED WITH CALIBRATION CERTIFICATE CERTIFIED BY <u>NABL ACCREDITED LAB.</u>					
	CGST - Central GST		%	_____	
	Basic Price		INR	_____	
	Discount on Basic		%	_____	
	IGST - Integrated GST		%	_____	
	SGST - State GST		%	_____	
3	T007443804005	Torque Wrench, 3/4" Drive, 80- 400 ft. l		00:00:00	6 NO

Item long text:

Torque Wrench, 3/4" Drive, Micrometer Adjustable, Metal Handle, Dual Scale, 80- 400 ft. lb. (85 - 491 Nm): Ratchet reversible head & Click type Torque wrench 3/4" Square Drive (>,<) with Micrometer Adjustable, Metal Handle, Dual Scale, Torque range 80 -400 ft Lbs./ 85- 491 Nm. Adjustable in 5Lbs./ 3.4 Nm increments. Dual scale, Fast, accurate and easy to set, calibrated in dual direction with Easy-to-read laser marked scales. Tool should have Positive lock with spring loaded pull down lock ring. Tool should have quick release buttons which provide good socket retention as well as easy socket removal. Accuracy: +/- 3% CW, +/- 4% CCW of indicated value, CW, from 20% to 100% of full scale. Overall length: 870 to 900mm, and weight : Approximately 7 Kgs. Acceptable Brand: SNAPON CDI, NORBAR, TOHNICHI, GEDORE. FIRM'S SHOULD ENCLOSE DETAIL CATALOG AND AUTHORISED DEALER CERTIFICATE ALONG WITH QUOTATION. TOOLS SHOULD BE SUPPLIED WITH CALIBRATION CERTIFICATE CERTIFIED BY NABL ACCREDITED LAB.

CGST - Central GST	%	_____
Basic Price	INR	_____
Discount on Basic	%	_____
IGST - Integrated GST	%	_____
SGST - State GST	%	_____