

Information

Description:ZNT/1200240895,0894/TORQUE WRENCHES

Bid invitation number:6300033655

Bid invitation rules

Bid invitation currency: INR Timezone: INDIA

 Submission period:
 28.08.2020 14:00:00

 Opening date:
 28.08.2020 14:30:00

 Created On:
 30.07.2020 13:18:18

#### Bid invitation text:

1. PAYMENT TERMS: 100% PAYMENT ON 30TH DAY FOR MSE AND FOR OTHERS ON 60TH DAY FROM THE DATE OF RECEIPT OF MATERIAL AT BEML STORES SUBJECT TO INSPECTION AND ACCEPTANCE OF MATERIALS FOR BIDDERS NOT AGREEING WITH THE ABOVE TERMS, THEIR QUOTATIONS WILL BE SUITABLY LOADED WITH APPLICABLE CASH CREDIT INTEREST WHILE EVALUATION OF BIDS. IN CASE OF EARLY SUPPLIES, PAYMENT WILL BE MADE ONLY AS PER THEDELIVERY SCHEDULE INDICATED IN THE PURCHASE ORDER AND IN LINE WITH THE TERMS OF PAYMENT.

IF FIRM/FIRMS ARE QUOTING PAYMENT TERMS AS ADVANCE/PROFORMA INVOICE, FIRM HAS TO AGREE FOR GIVING BANK GUARANTEE FROM A SCHEDULED COMMERCIAL BANK FOR 110% OF THEIR INVOICE VALUE, AND THEN ONLY ADVANCE PAYMENT WILL BE MADE. IF FIRM DOES NOT AGREE FOR THE SAME ANDONLY QUOTES FOR ADVANCE/PROFORMA INVOICE, SUCH BIDS ARE LIABLE FOR REJECTION, AND THEIR OFFER WILL NOT BE CONSIDERED AND NEXT LOWEST TECNICALLY ACCEPTED OFFER WILL BE CONSIDERED. THE BG SHOULD BE VALID FOR A PERIOD TILL THE MATERIAL IS RECEIVED AND ACCEPTED BY BEML.

- 2. PRICES: PRICES ARE FIRM TILL THE EXECUTION OF THE ORDER.
- 3. DELIVERY TERMS: DELIVERY AS PER BEML SCHEDULE.
- 4. DESPATCH TERMS: F.O.R. BEML MYSORE
- 5. RISK PURCHASE CLAUSE: BEML RISK PURCHASE CLAUSE WILL BE APPLICABLE
- 6. LD CLAUSE: BEML LD CLAUSE WILL BE APPLICABLE IN CASE OF DELAY IN DELIVERY
- 7. TAXES: FIRM HAS TO MENTION HSN CODE AND APPLICABLE GST.
- 8. FIRM HAS TO QUOTE ONLY FOR MAKE MENTIONED IN THE TENDER. ANY ALTERNATE OFFERS ARE NOT ACCEPTABLE.
- 9. QUOTATION SHOULD BE VALID FOR ATLEAST 90 DAYS FROM THE DATE OF CLOSING OF TENDER.QUOTATION VALID LESS THAN 90 DAYS FROM THE DATEOF TENDER OPENING ARE LIABLE

Information

Description:ZNT/1200240895,0894/TORQUE WRENCHES
Bid invitation number:6300033655

### FOR REJECTION.

10. ANY AMENDMENT TO THIS TENDER WILL BE PUBLISHED ONLY IN BEML WEBSITE AND NOT IN CPP PORTAL. VENDORS TO NOTE THIS

Any item specific remarks / comments can be mentioned in "Bidders Remarks" column under Item Data.

Please contact our SRM Team for guidance on submission of bids in SRM system.

Phone number: (080) 22963269 / 22963141

E-mail ID : admin.srm@beml.co.in

Please contact Tooling Department, Mysore Complex for any technical clarifications.

Phone number: (0821) 2400265 E-mail ID: zpe@beml.co.in

Please contact Material Department, Mysore Complex for any commercial clarifications.

Phone number: (0821) 2400277 E-mail ID: znt@beml.co.in

Attachments:

**GENERAL TERMS AND CONDITIONS-Materials** 

Digital Signature

Item	Product Price Condition	Description on	Vendor product number	Delivery date/ performance period	Quantity
1	EA7424400175	TORQUE WRENCH,T-160R,5- 22kafm,40to200Nm		23.10.2020 00:00:00	6 NO

## Item long text:

MECHNICAL TORQUE WRENCH(T-160R), RANGE:5 - 22kgfm.OR 4 TO 20Kgfm OR 40 to 200Nm . TORQUE WRENCH FIXED RATCHETING TYPE. SQUIREDRIVE: 1/2inch,

Make: M/s Stahlwille-Germany, M/s Hazet Germany ,M/s Holex , M/s Gedore-germany ,M/s Snap on,M/s Atlas copco - sweedan,M/s Egamaster,M/s norbar .

#### Note:

1)Autorized dealers of OEM's should submitt Valid authorized dealership certificate issued by the OEM with Quotation.

2)Firm has to give on hand training of usage and also necessary correction to be done in supplied torque wrenches when deviationsnoticed in future.

ONLY FOR REFERANCE	M/s STAHLWILLE GERMANY PART N	NO:730N/20R , )
IGST -Integrated GST	· %	
SGST - State GST	%	
CGST - Central GST	%	

Information

Description:ZNT/1200240895,0894/TORQUE WRENCHES

Bid invitation number:6300033655

ltem	Product Price Conditio	Description n	Vendor product number	Delivery date/ performance period	Quantity
	Basic Price		INR		
2	EA7424400185	TORQUE WRENCH,T-250R,7- 35kafm.80to400Nm		23.10.2020 00:00:00	8 NO

### Item long text:

MECHNICAL TORQUE WRENCH(T-250R),RANGE:7 - 35kgfm.OR 8 TO 40Kgfm OR 80 to 400Nm .TORQUE WRENCH FIXED RATCHETING TYPE.SQUIREDRIVE:1/2inch OR 3/4lnch.

Make: M/s Stahlwille-Germany, M/s Hazet Germany ,M/s Holex , M/s Gedore-germany ,M/s Snap on,M/s Atlas copco - sweedan,M/s Egamaster,M/s norbar .

#### Note:

- 1)Autorized dealers of OEM's should submitt Valid authorized dealership certificate issued by the OEM with Quotation .
- 2)Firm has to give on hand training of usage and also necessary correction to be done in supplied torque wrenches when deviations noticed in future.

(ON	ILY FOR REFERA	NCE M/s STAHLWILL	E GERMANY	PART	NO:730N/40	OR , )_	
	IGST -Integrated	d GST	%	_			
	SGST - State G	ST	%				
	CGST - Central	GST	%				
	Basic Price		INR				
3	EA7424400195	TORQUE WRENCH,400R,14- 56kgfm,130to650Nm			23.10.2	020 00:00:00	3 NO

## Item long text:

MECHNICAL TORQUE WRENCH(T-400R), RANGE:14-56kgfm.OR 13 TO 65Kgfm OR 130 to 650Nm .TORQUE WRENCH FIXED RATCHET, RATCHETING TYPE.SQUIRE DRIVE:3/4inch,

### Note:

- 1)Autorized dealers of OEM's should submitt Valid authorized dealership certificate issued by the OEM with Quotation .
- 2)Firm has to give on hand training of usage and also necessary correction to be done in supplied torque wrenches when deviations noticed in future.

Information

Description:ZNT/1200240895,0894/TORQUE WRENCHES
Bid invitation number:6300033655

Item	Product Price Conditio	Description n	Vendor produ number	uct	Delivery date/ performance period	Quantity
( ONI	LY FOR REFERA	NCE M/s STAHLWILLE	GERMANY PART	Γ <u>ΝΟ:</u>	730N/65 FR-HD , )	
	IGST -Integrated	IGST	%			
	SGST - State GS	ST	%			
	CGST - Central	GST	%			
	Basic Price		INR		_	
4	EA7424400135	TORQUE WRENCH,T-10R,0.3- 1.4kgf.m,4to20Nm			23.10.2020 00:00:00	6 NO

## Item long text:

TORQUE WRENCH(T-10R), RANGE:0.3 - 1.4 kgfm.OR 0.4 TO 2Kgfm OR 4 to 20Nm .TORQUE WRENCH FIXED RATCHET, RATCHETING TYPE.SQUIRE DRIVE:1/2inch,

### Note:

1)Autorized dealers of OEM's should submitt Valid authorized dealership certificate issued by the OEM with Quotation .

2)Firm has to give on hand training of usage and also necessary correction to be done in supplied torque wrenches when deviations noticed in future. .

(ON	LY FOR REFER N	ฟ/s STAHLWILLE GERI	MANY PART NO : 7:	30N/R4 , )	
	Basic Price		INR		
	CGST - Central	GST	%		
	SGST - State GS	ST	%		
	IGST -Integrated	d GST	%		
5	EA7424400145	TORQUE WRENCH,T-25R,0.5- 3.5kgfm,6to50Nm		23.10.2020 00:00:00	6 NO

## Item long text:

MECHNICAL TORQUE WRENCH(T-25R),RANGE:0.5 - 3.5 kgfm.OR 0.6 TO 5Kgfm OR 6 to 50Nm .TORQUE WRENCH FIXED RATCHETING TYPE.SQUIRE DRIVE:1/2inch,

Make: M/s Stahlwille-Germany, M/s Hazet Germany, M/s Holex , M/s Gedore-germany ,M/s Snap on, M/s Atlas copco - sweedan, M/s Egamaster, M/s norbar .

**Price Condition** 

Information

Description:ZNT/1200240895,0894/TORQUE WRENCHES
Bid invitation number:6300033655

performance period

6 NO

Item Product Description Vendor product Delivery date/ Quantity

#### Note:

1)Autorized dealers of OEM's should submitt Valid authorized dealership certificate issued by the OEM with Quotation.

number

2)Firm has to give on hand training of usage and also necessary correction to be done in supplied torque wrenches when deviations noticed in future.

wien	iches when deviali	ons nouced in future.			
(ON	LY FOR REFERA	NCE M/s STAHLWILL	E GERMANY PART I	NO:730Q/R5 , )	
	IGST -Integrated	GST	%		
	SGST - State GS	ST	%		
	CGST - Central	GST	%		
	Basic Price		INR		
6	EA7424400155	TORQUE WRENCH,T-50R,1- 7.5kgfm,20to100Nm		23.10.2020 00:00:00	6 NO

## Item long text:

MECHNICAL TORQUE WRENCH(T-50R), RANGE:1 - 7 kgfm.OR 2 TO 10Kgfm OR 20 to 100Nm .TORQUE WRENCH FIXED RATCHET, RATCHETING TYPE.SQUIRE DRIVE:1/2inch,

Make: M/s Stahlwille-Germany, M/s Hazet Germany ,M/s Holex , M/s Gedore-germany ,M/s Snap on,M/s Atlas copco - sweedan,M/s Egamaster,M/s norbar .

### Note:

1)Autorized dealers of OEM's should submitt Valid authorized dealership certificate issued by the OEM with Quotation .

2)Firm has to give on hand training of usage and also necessary correction to be done in supplied torque wrenches when deviations noticed in future. calibration or if deviation noticed.

14kgfm,30to150Nm

#### Item long text:

MECHNICAL TORQUE WRENCH(T-100R),RANGE:3 - 14 kgfm.OR 3 TO 15Kgfm OR 30 to 150Nm .TORQUE WRENCH FIXED RATCHET, RATCHETING TYPE.SQUIRE DRIVE:1/2inch,

Information

Description:ZNT/1200240895,0894/TORQUE WRENCHES
Bid invitation number:6300033655

ltem	Product	Description	Vendor product	Delivery date/	Quantity
	<b>Price Condition</b>		number	performance period	

Make: M/s Stahlwille-Germany, M/s Hazet Germany, M/s Holex , M/s Gedore-germany ,M/s Snap on, M/s Atlas copco - sweedan, M/s Egamaster, M/s norbar .

## Note:

- 1)Autorized dealers of OEM's should submitt Valid authorized dealership certificate issued by the OEM with Quotation
- 2)Firm has to give on hand training of usage and also necessary correction to be done in supplied torque wrenches when deviations noticed in future.

ONLY FOR REFERANCE	M/s STAHLWILLE GERMANY PART	NO:721Q/15R , )
Basic Price	INR	
CGST - Central GST	%	
SGST - State GST	%	
IGST -Integrated GST	- %	