

Bid invitation

Information

Description:EMN3/H&P/1060019385/THERMOCOUP
LE
Bid invitation number:6300036712

Bid invitation rules

Bid invitation currency: INR
Timezone: UTC+53
Submission period: 17.11.2021 17:00:00
Opening date: 17.11.2021 17:01:00
Created On: 07.11.2021 04:22:52

Bid invitation text:

GENERAL TERMS & CONDITIONS:

1. Delivery Terms: FDD/ FOR BEML, KGF.
2. Payment Terms: 60 days receipt & acceptance of item. For MSME , 45 days.credit
3. Micro & small enterprise bidders to indicate Udyog Aadhaar Memorandum number (UAM) and declaration of UAM on CPPP in their bid.
4. Quote should be valid for minimum 60 days from the date of Bid opening. Bids with validity of less than 60 days are liable for rejection.
5. Indicate GSTIN and applicable GST in their bid.
6. Indicate 08 Digit HSN code for the Materials/ 06 Digit SAC code for service
7. Indicate the time requirement for supply the items/Time required for complete the work
8. Indicate warranty applicable for the material
- 9.Indicate complete specification, make, and other connected details in their bid. If not indicated in the bid liable for rejection.
10. L-1 evaluation will be based on landed cost of technically accepted bids.
- 11.Firm has to quote only for the item as per tender specification. If any deviation in technical specification. Beml reserve the right to reject the offer

NOTE:-

- 1).To upload Bid in e- Bidding system - If you need any type of assistance, Please contact Mr. Krishna Mohan (Ph No – 080- 22963269 / 22963141 & Email – admin.srm@beml.co.in).
- 2) Please contact given below mail IDs & Ph.No. for any type of technical clarification.
i) hn@beml.co.in & ii) hmnp@beml.co.in
08153-279555 PH-08153-279315

Bid invitation details

Bid invitation

Information
 Description:EMN3/H&P/1060019385/THERMOCOUPLE
 Bid invitation number:6300036712

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
1	8700373075	DUPLEX THERMOCOUPLE 'K' TYPE CrAl: 900MM		00:00:00	15 NO

Item long text:

K Type DUPLEX Thermocouple required Made of 10SWG CR/AL Wire fused and enclosed in AISI 310 outertube of 7/8" OD with one Gas tight Inner Ceramic Tube terminated on Alluminium Head and Junction Box with Adjustable Flange.

Material Specification Text:

SPECIFICATION-----LIMITS OF ERROR: Standard (+/- 2.2 deg. C or +/- 0.75%) whichever >NO. OF CIRCUITS: Duplex (two)HOT JUNCTION: UngroundedOUTER SHEATH DIA: 22mm x 2mm thick, SS310INNER SHEATH: Ceramic tube holding Cr-Al Wire ElementSHEATH LENGTH: 900mm below headSHEATH MATERIAL: Cast aluminium adj. flangeINSULATION: Ceramic beadsWIRE GAUGE: 10 SWGTIP RATING 1000 deg. CTERMINATION: Standard weather proof die cast alu. headCABLE ENTRY: 1/2" BSP(F) singleCABLE GLAND: Not provided

Basic Price	INR	_____
CGST - Central GST	%	_____
SGST - State GST	%	_____
UTGST	%	_____
IGST -Integrated GST	%	_____

2	8700373065	SIMPLEX THERMOCOUPLE 'K'TYPE CrAl: 900MM		00:00:00	10 NO
---	------------	--	--	----------	-------

Item long text:

K Type SIMPLEX Thermocouple required Made of 10SWG CR/AL Wire fused and enclosed in AISI 310 outertube of 7/8" OD with one Gas tight Inner Ceramic Tube terminated on Alluminium Head and Junction Box with Adjustable Flange.

Material Specification Text:

SPECIFICATION-----LIMITS OF ERROR: Standard (+/- 2.2 deg. C or +/- 0.75%) whichever >NO. OF CIRCUITS: Simplex (One)HOT JUNCTION: UngroundedOUTER SHEATH DIA: 22mm x 2mm thick, SS310INNER SHEATH: Ceramic tube holding Cr-Al Wire ElementSHEATH LENGTH: 900mm below headSHEATH MATERIAL: Cast aluminium adj. flangeINSULATION: Ceramic beadsWIRE GAUGE: 10 SWGTIP RATING 1000 deg. CTERMINATION: Standard weather proof die cast alu. headCABLE ENTRY: 1/2" BSP(F) singleCABLE GLAND: Not provided

Basic Price	INR	_____
CGST - Central GST	%	_____
SGST - State GST	%	_____

Bid invitation

Information
 Description:EMN3/H&P/1060019385/THERMOCOUPLE
 LE
 Bid invitation number:6300036712

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
	UTGST		%		
	IGST -Integrated GST		%		
3	8772673015	'R' TYPE THERMOCOUPLE - 750 MM		00:00:00	2 NO

Item long text:

R Type SIMPLEX Thermocouple as per Specification.NOTE:1. FIRM HAS TO SUBMIT CALIBRATION CERTIFICATES AND TRACEABILITYCERTIFICATES ALONG WITH SUPPLY.2. FIRM HAS TO PROVIDE WARRANTY FOR ONE YEAR FOR ALL THERMOCOUPLES ANDPROVIDE WARRANTY CERTIFICATES ALONG WITH SUPPLY.

Material Specification Text:

TYPE:R AS PER ANSI MC 96-1,SIMPLEX, OUTER SHEATH:20MM X 2MM THICK SS310AND 18MM THICK CERAMIC SHEATH,LENGTH:750MM BELOW HEAD (SS310LENGTH -150MM & CERAMIC LENGTH - 600MM), PROCESS CONNECTION:CAST ALUMINIUMADJUSTABLE FLANGE WITH 2 HOLES OF 70MM PCD,INSULATION:CERAMIC BEADS,WIREGAUGE:0.35MM Pt.Rh13%,TIP RATING:1500DEG.C.

Basic Price	INR	_____
CGST - Central GST	%	_____
SGST - State GST	%	_____
UTGST	%	_____
IGST -Integrated GST	%	_____