

Bid invitation

Information

Description: Construction of RCC Road at Bilaspur
Bid invitation number: 6300038544

Bid invitation rules

Bid invitation currency: INR
Timezone: UTC+53
Submission period: 28.09.2023 15:00:00
Tech Opening date: 28.09.2023 16:00:00
Created On: 07.09.2023 10:35:27

Bid invitation text:

Construction of RCC Road at BEML LIMITED, Regional Office,
1-A, Sector-C, Sirgitti Industrial Area, Bilaspur (CG).

Attachments:

BEML BID-6300038544

Digital Signature

Bid invitation details

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
1		Earth work excavation			1,840.000 M2

Item long text:

Earth work excavation in hard/soft soil for roadway to average of 225mm depth by mechanical/manual means dressing to camber and consolidating with road roller of 8 to 12 tonne capacity, re-rolling the sub-grade and stacking the excavated earth at a place all as shown etc., complete all as specified and directed by Officer-in-charge

	Basic Price		INR		
2		Supplying & laying wet mix macadam			1,840.000 M2

Item long text:

Bid invitation

Information

Description: Construction of RCC Road at Bilaspur
Bid invitation number: 6300038544

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
	Basic Price		INR		
3		Laying in position Plain Cement Concrete			184 CUM
Item long text: Providing and Laying in position Plain Cement Concrete of mix 1:3:6 grade using 40mm downgraded granite aggregate in pavements laid to required slope and camber including consolidation finishing and tamping etc complete all as specified and directed by Officer in charge					
	Basic Price		INR		
4		Laying design mix Reinforced Concrete			276 CUM
Item long text: Providing and laying design mix Reinforced cement concrete of M-20 grade manufactured in automatic batching plant (RMC Plant) i/c transportation to site for roads, using cement content as per design mix, using coarse sand and graded stone aggregate of 20 mm nominal size in appropriate proportions as per specified design criteria, providing dowel bars with sleeve/ tie bars wherever required, laying at site, spreading and compacting mechanically by using needle and surface vibrators, levelling to required slope/ camber finishing with required texture, including steel form work with sturdy M.S. channel sections, curing, making provision for contraction/expansion, construction & longitudinal joints (10 mm wide x 50 mm deep) by groove cutting machine, providing and filling joints with approved joint filler and sealants, complete all as per direction of Officer-in-charge.					
	Basic Price		INR		
5		Providing TMT bars in reinforcement		00:00:00	8,000.000 KG
Item long text: Providing TMT bars in reinforcement conforming to relevant IS , in various diameters and at all levels, including cut to length and bent to shape required, binding spirally and binding with MS wire (annealed) of size not less than 0.9 mm dia and place in position including all wastages etc., complete all as specified and directed by Officer in charge (8mm dia @200 mm C/C)					
	Basic Price		INR		
6		Position rubberized bitumen hot sealing		00:00:00	2,000.000 M

Item long text:

