

BILL OF QUANTITIES FOR INTERIOR WORKS FOR OVERHAULING HANGAR AT BEML PALAKKAD COMPLEX KANJIKODE

| Sl. NO | DESCRIPTION OF WORK | UNIT | QTY |
|----------|--|------------|--------------|
| I | FALSE CEILING WORK | | |
| 1 | Providing and fixing moisture resistant plain gypsum false ceiling Boarding with 12.5mm thick moisture resistant gypsum plasterboards with water absorption < 5% as per BS EN 520 GreenPro certified by CII is screw fixed with 25mm long Drywall screws at 230 mm centers. The screw fixing of gypsum boards to the metal framing at the periphery, openings and cut edges should be at 150mm centers. All the Moisture resistant Gypsum boards must be staggered. All joints to be taped & finished with Paper tape & redimix All Purpose Joint Compound confirming to ASTM C475. Work should be carried out as per guidance of Engineer in charge and/or Manufacturer's specifications. Finished with 2 coats of putty and 2 coats of primer and 2 coats of painting) etc., complete. (BRANDS:REFER APPROVED BRAND LIST) (REFER DETAILED SPECIFICATIONS - 1.1 IN TECHNICAL SPECIFICATIONS) | Sqm | 220.0 |
| 2 | Providing and fixing mineral fibre false ceiling tiles at all heights of size 600mmX1200mm - 16mm thick of approved texture, design and pattern. Then 16mm thick Mineral fiber ceiling panel having FLB edge (H-OMEGA DXM - GRID PROFILE) (CODE - 10435 - ME10435) of size 600x1200 shall be placed into the above grid of size 600x1200mm. This ceiling panel provides NRC: 0.55 to 0.6, <i>CAC minimum: 33</i> , minimum Recycled Content - 45%. Contains a broad-spectrum antimicrobial additive on the face and back of the panel that provides resistance against the growth of mold and mildew. etc., complete (BRANDS:REFER APPROVED BRAND LIST) (REFER DETAILED SPECIFICATIONS - 1.2 IN TECHNICAL SPECIFICATIONS) | Sqm | 190 |
| 3 | Supply and Installation of plain Metal Grid ceiling system Then GI Plain lay in ceiling Panels are Powder coated GI 50 to 60 microns polyester paint thickness with size of 595mmx595mm (nominal) and having minimum 8mm drop and 10mm lip with thickness of 0.5mm. These tiles shall be placed into the above grid of size 600x600mm. Entire work should be carried out as per Manufacturer's guidelines and/or instruction of project in-charge. etc., complete (BRANDS:REFER APPROVED BRAND LIST) (REFER DETAILED SPECIFICATIONS - 1.3 IN TECHNICAL SPECIFICATIONS) | Sqm | 100 |
| 4 | Providing and fixing mineral fibre false ceiling tiles (KNAUF DANOLINE-solopanel) for CONFERENCE HALL at all heights of size 600mmX1200mm-16mm thick of approved texture, design and pattern. .Then 16mm thick Mineral fiber ceiling panel having MF edge - 13.1 PERFORATIONS (Circles Ø8& Ø12mm,c/c 50) (CODE - G8/12/50) of size 1200mmX2000mm shall be placed into the above grid of size 600x1200mm. This ceiling panel provides NRC: 0.6 (no mineral wool) , <i>CAC minimum: 33</i> , minimum Recycled Content - 45% . Contains a broad-spectrum antimicrobial additive on the face and back of the panel that provides resistance against the growth of mold and mildew. etc., complete (BRANDS:REFER APPROVED BRAND LIST) (REFER DETAILED SPECIFICATIONS - 1.4 IN TECHNICAL SPECIFICATIONS) | Sqm | 41 |

| SI. NO | DESCRIPTION OF WORK | UNIT | QTY |
|------------|---|------|-------|
| II | WALL PANELING | | |
| 5 | Providing and fixing of Wall paneling using BWP PLYWOOD REEPERS 50mm wide 19mm BWP @ 0.6X0.6m grid C/C for wall leveling in layout as required to make wall plump in level and finish with 1mm thick approved laminate over 12mm BWP plywood (IS 710 GRADE) inclusive of any cutting for electrical conduits, switches/ sockets, etc.,complete.(BRANDS:REFER APPROVED BRAND LIST) (Wall paneling for VIP room, VIP lounge, discussion room and conference hall) | Sqm | 125.0 |
| 6 | Providing and fixing of Wall paneling using BWP PLYWOOD REEPERS 50mm wide 19mm BWP @ 0.6X0.6m grid C/C for wall leveling in layout as required to make wall plump in level and finish with 1mm thick approved laminate over 12mm BWP plywood (IS 710 GRADE) inclusive of any cutting for electrical conduits, switches/ sockets,, but finishing with 50% fluted of APPROVED BRAND LIST, etc., complete. (BRANDS:REFER APPROVED BRAND LIST) (Wall paneling for VIP room, VIP lounge, discussion room and conference hall) | Sqm | 5.0 |
| 7 | Providing and fixing of All brass beading is " T " profile 10mm Wide for Conference hall, VIP room and VIP LOUNGE.,etc.,complete. | Rm | 121.0 |
| 8 | Providing and fixing of Wall paneling using BWP PLYWOOD REEPERS 50mm wide 19mm BWP @ 0.6X0.6m grid C/C for wall leveling in layout as required to make wall plump in level and finish with 1mm thick approved laminate over 12mm BWP plywood (IS 710 GRADE) inclusive of any cutting for electrical conduits, switches/ sockets,, but finishing with APPROVED LAMINATE of APPROVED BRANDS., etc., complete. (Wall paneling for VIP room) (BRANDS:REFER APPROVED BRAND LIST) | Sqm | 17.0 |
| III | FURNITURES | | |
| 9 | Providing and fixing of All other plywood furniture's/ cabinets shall be made of 19mm BWP plywood (IS 710 GRADE) , Backing plywood shall be a minimum of 9mm thick BWP plywood grade (IS 710 GRADE) and finished on both inside and outside with 1mm thick laminate with handle, lock, hinges, and with EBCO/HETTICH brand fully telescopic drawer slides with approved hinges etc., complete (BRANDS:REFER APPROVED BRAND LIST) (furnitures for VIP room, VIP lounge, discussion room and conference hall). | Sqm | 16.0 |
| 10 | Providing and fixing of All other plywood low level and high level in pantry cabinets shall be made of 19mm BWP plywood (IS 710 GRADE) , Backing plywood shall be a minimum of 9mm thick BWP plywood grade (IS 710 GRADE) and finished on both inside and outside with 1mm thick laminate with handle, lock, hinges, and with EBCO/HETTICH brand fully telescopic drawer slides with approved hinges etc., complete (BRANDS:REFER APPROVED BRAND LIST) (Low level and high level cabinets in pantry) | Sqm | 14 |

| Sl. NO | DESCRIPTION OF WORK | UNIT | QTY |
|--------|---|------|--------|
| 11 | Providing and fixing of plywood wall bench with low level storage in employee amenity room (ground floor) shall be made of 19mm BWP plywood (IS 710 GRADE), Backing and supporting plywood shall be a minimum of 9mm thick BWP plywood grade (IS 710 GRADE) and finished on both inside and outside with 1mm thick laminate with handle, lock, hinges, and with EBCO/HETTICH brand fully telescopic drawer slides with approved hinges etc., complete (BRANDS:REFER APPROVED BRAND LIST) (Wall bench with Low level storage in employee amenity room) | Sqm | 4.0 |
| IV | ROLLER BLINDS AND ROMAN BLINDS | | |
| 12 | Providing and fixing Zebra Roller blinds of Approved make/ Color Install with top acrylic bracket with clutch operation with chain. Rate shall be inclusive of necessary scotch guard treatment on both side. The overlaps should be uniform and adequate. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) (REFER DETAILED SPECIFICATIONS IN TECHNICAL SPECIFICATIONS) | Sqm | 126.00 |
| 13 | Providing and fixing Blackout Roller blinds of Approved make/ Color Install with top acrylic bracket with clutch operation with chain. Rate shall be inclusive of necessary scotch guard treatment on both side. The overlaps should be uniform and adequate. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) (REFER DETAILED SPECIFICATIONS IN TECHNICAL SPECIFICATIONS) | Sqm | 10.00 |
| 14 | Providing and fixing Blackout ROMAN blinds of Approved make/ Color (to be approved by BEML BEFORE ORDERING).Install with top acrylic bracket with clutch operation with chain and with 5 folds of approved fabric texture. Rate shall be inclusive of necessary scotch guard treatment on both side. The overlaps should be uniform and adequate. the fitting should be as per approved make list or equivalent type .it is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery.(BRANDS:REFER APPROVED BRAND LIST) (REFER DETAILED SPECIFICATIONS -4.3 IN TECHNICAL SPECIFICATIONS) | Sqm | 18.00 |
| V | AIRCONDITIONERS + STABILIZER | | |
| 15 | Supply, Installation, Testing and Commissioning of 1.0 TR Hi Wall Split AC Unit with Outdoor Unit, Suitable Length (5 - 8 meters based on site condition) Copper Pipes and copper condenser for Split Units With Nitrile Rubber Insulations & Control Cabling IDU to ODU with suitable inverter (5 star rating), As per site condition ODU Stand including all Accessories with 4 KVA stabilizer etc,. (BRANDS: REFER APPROVED BRAND LIST). Cost shall be inclusive of core cutting, fixing accessories and stand (if required based on site condition. AC unit shall have Manufacturer warranty of (min) 5 year for PCB and compressor. | NOS | 5 |

| SI. NO | DESCRIPTION OF WORK | UNIT | QTY |
|-----------|--|------|-----|
| 16 | Supply, Installation, Testing and Commissioning of 1.5 TR Hi Wall Split Unit with Outdoor Unit, Suitable Length (5 - 8 meters) Copper Pipes and copper condenser for Split Units With Nitrile Rubber Insulations & Control Cabling IDU to ODU with suitable inverter (5 star rating), As per site condition ODU Stand including all Accessories with 4 KVA stabilizer etc., (BRANDS: REFER APPROVED BRAND LIST).Cost shall be inclusive of core cutting, fixing accessories and stand (if required based on site condition. AC unit shall have Manufacturer warranty of (min) 5 year for PCB and compressor | NOS | 5 |
| 17 | Supply, Installation, Testing and Commissioning of 2.0 TR Hi Wall Split Unit with Outdoor Unit, Suitable Length (5 - 8 meters) Copper Pipes and copper condenser for Split Units With Nitrile Rubber Insulations & Control Cabling IDU to ODU with suitable inverter (5 star rating), As per site condition ODU Stand including all Accessories with 6 KVA stabilizer etc., (BRANDS: REFER APPROVED BRAND LIST). Cost shall be inclusive of core cutting, fixing accessories and stand (if required based on site condition. AC unit shall have Manufacturer warranty of (min) 5 year for PCB and compressor | NOS | 8 |
| VI | LIGHT FIXTURES | | |
| 18 | Supply and installation of 20 W LED 6000K AC RECESSED Mounted Round type LED light with drivers in false ceiling. Luminaire shall be round type with 230mm dia suitable to install in 200mm cutout with ss spring clips. The fitting shall be white in colour with matt finish with diffuser. Rated Luminous flux (at 6500k) shall be 1700 lm or higher. . The fitting should be as per Havells product code: LHEBLEP7IN1W020 or equivalent model in approved make list. Cost shall be inclusive of all necessary fixing accessories, Drivers etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor. | NOS | 116 |
| 19 | Supply and installation of 15 W LED 6000K AC RECESSED Mounted Round type LED light with drivers in false ceiling. Luminaire shall be round type with 162mm dia suitable to install in 140mm cutout with ss spring clips. The fitting shall be Colour of White Bezel & Black Housing with matt finish with diffuser. Rated Luminous flux (at 6500k) shall be 1125 lm or higher. The fitting should be as per Havells product code: LHEBLDP7IN1W015 or equivalent model in approved make list. Cost shall be inclusive of all necessary fixing accessories, Drivers etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor. | NOS | 23 |

| SI. NO | DESCRIPTION OF WORK | UNIT | QTY |
|--------|--|------|-----|
| 20 | Supply and installation of 10 W LED 6000K AC RECESSED Mounted Round type LED light with drivers in false ceiling. Luminaire shall be round type with 130mm dia suitable to install in 107mm cutout with ss spring clips. The fitting shall be Colour of White Bezel & Black Housing with matt finish with diffuser. Rated Luminous flux (at 6500k) shall be 1125 lm or higher. Cost shall be inclusive of all fixing accessories, driver etc. complete. The fitting should be as per Havells product code: LHEBLDP7IN1W010 or equivalent model in approved make list.it is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor. | NOS | 15 |
| 21 | Supply and installation of architectural light fixture and luminaire HIGH WATTAGE PC BATTERNS 40 W 6500 K (WALL MOUNT) and drivers. All other electrical conduits, cables, etc., ELECTRICAL for light fixtures is in other contractor's scope. Decorative Slim Linear LED Batten, cool daylight effect with 100 lm/W. The fitting should be as per Havells product code: LHEXAPP7IN1W040 or equivalent model in approved make list.Cost shall be inclusive of all necessary fixing accessories, Drivers etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor. | NOS | 8 |
| 22 | Supply and installation of architectural light fixture and luminaire HIGH WATTAGE PC BATTERNS: 40 W 6500 K (CEILING MOUNT) and drivers. All other electrical conduits, cables, etc., ELECTRICAL for light fixtures is in other contractor's scope. Decorative Slim Linear LED Batten, cool daylight effect with 100 lm/W. The fitting should be as per Havells product code: LHEXAPP7IN1W040 or equivalent model in approved make list. Cost shall be inclusive of all necessary fixing accessories, Drivers etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor. | NOS | 6 |
| 23 | Chandeliers-Supply and installation of architectural light fixture and luminaire 36 W Architectural linear lights at conference room LED and drivers. All other electrical conduits, cables, etc., ELECTRICAL for light fixtures is in other contractor's scope. 36 W (3240 System Lumens). Light of Continuous Row System suitable for virtually endless continuous row mounting with Long life of 50000 hours with Dimensions of 113.6cm X 5.4cm X 7.4cm. The fitting should be as per Havells product code: DESTELLO SUSPENDED DIRECT INDIRECT - LED or equivalent model in approved make list. Cost shall be inclusive of all necessary fixing accessories, Lamps, Drivers etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor. | NOS | 4 |

| SI. NO | DESCRIPTION OF WORK | UNIT | QTY |
|--------|---|------|-----|
| 24 | <p>Chandeliers-Supply and installation of architectural light fixture and luminaire Decorative light at conference room and drivers. All other electrical conduits, cables, etc., ELECTRICAL for light fixtures is in other contractor's scope. Dimmable LED light with Remote Control 20W-5W power, of overall size of 76.2 cm x 33.1 cm x 149.9 cm. Gold colour medium size and Metal Frame in Black Finish with Silicon Diffuser. The fitting should be as per THE WHITE TEAK COMPANY Model: SKU#- HLC-20065 or equivalent model in approved make list. Cost shall be inclusive of all necessary fixing accessories, Lamps, Drivers etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery.</p> <p>Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor.</p> | NOS | 1 |
| 25 | <p>Supply and installation of architectural light fixture and luminaire Decorative light at VIP LOUNGE and drivers. All other electrical conduits, cables, etc., ELECTRICAL for light fixtures is in other contractor's scope. Dimmable LED light with Remote Control 30W power, of overall size of 119.4 cm x 10.2 cm x 117.4 cm with adjustable chain length of 36". Gold colour and Metal Frame in Black Finish with Silicon Diffuser. The fitting shall be similar to THE WHITE TEAK COMPANY Model: SKU#- HL181-10001 or equivalent model in approved make list. Cost shall be inclusive of all necessary fixing accessories, Lamps, Drivers etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery.</p> <p>Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor.</p> | NOS | 1 |
| 26 | <p>Supply and installation of architectural light fixture and luminaire Decorative light at VIP LOUNGE and drivers. All other electrical conduits, cables, etc., ELECTRICAL for light fixtures is in other contractor's scope. LED light of 30W power, of overall size of 22.9 cm x 10.2 cm x 58.5 cm. Cost shall be inclusive of all fixing accessories, lamp, driver etc. complete . Metal Frame in a Gold Finish Glass Shade. The fittings shall be similar to THE WHITE TEAK COMPANY Model : SKU# HL17-10008A or equivalent in approved brands. Cost shall be inclusive of all necessary fixing accessories, Lamps, Drivers etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery.</p> <p>Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor.</p> | NOS | 2 |
| 27 | <p>Supply and installation of architectural light fixture and luminaire Decorative light at VIP ROOM and drivers. All other electrical conduits, cables, etc., ELECTRICAL for light fixtures is in other contractor's scope. LED light of overall size of 24.2 cm x 157.5 cm with adjustable rod length upto 42". Metal Body in Matte Black Finish. The fitting shall be similar to THE WHITE TEAK COMPANY Model: SKU# HL72-10001 or equivalent in approved brands. Cost shall be inclusive of all necessary fixing accessories, Lamps, Drivers etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery.</p> <p>Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor</p> | NOS | 1 |




| SI. NO | DESCRIPTION OF WORK | UNIT | QTY |
|------------|--|------|-----|
| 28 | Supply and installation of architectural light fixture and luminaire Decorative light at VIP ROOM and drivers. All other electrical conduits, cables, etc., ELECTRICAL for light fixtures is in other contractor's scope. LED light of overall size of 28 cm x 158.8 cm with adjustable cord length of 45". Metal Frame in Matte Gold Finish with Smokey Grey Glass Shade. The fittings should be as per THE WHITE TEAK COMPANY PRODUCT CODE: SKU# HL114-10001 or equivalent in the approved brands. Cost shall be inclusive of all necessary fixing accessories, lamps, Drives etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor. | NOS | 1 |
| 29 | Supply and installation of architectural light fixture and luminaire LED STRIP LIGHTS- CONFERENCE ROOM , VIP LOUNGE AND VIP ROOM and drivers .LED light of 0.5 W Power, Round in shape with a height of 68 mm, Length and width of 84mm each. The fitting made up of ABS, Colour of Pink with Glossy finish. Diffuser material with ABS, material shall be round, Diffuser transparency shall be OPAL . The fitting should be as per Havells product code: LHEHDLP5UN1W024 or equivalent model in approved make list. Cost shall be inclusive of all necessary fixing accessories, Drivers etc complete. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. Note: Electrical wiring, conduits & switch control is under scope of Electrical Contractor. | NOS | 55 |
| VII | LOOSE FURNITURES | | |
| 30 | Supply and fixing of L SHAPE WORKSTATION with specification of partition height of 1200mm frame with top and sides in Aluminium trims and junctions with diecast caps. Table Top of 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges supported with 18mm thick pre laminated gable ends. Wiremanagement : Two numbers of 65mm Grommet cap on table & two metal raceway tile to mount switches below table top level for power and skirting tile for data.Above table top Level: Fabric Tiles, one glass marker tile & one magnetic tile per workstation and Below table Top level: Pre-Laminated tiles and metal skirting tile on Main spine towards user.Fabric tile code: Response Fabric brand - festival collections - F 181 - DAGO ORANGE - (Composition - 100% polyester, weight - 415grams per line meter) with FLAME RETARDANT BS EN 1021(MATCH) & IS 15061-2002 and to be provided (MUST) with HYDROGUARD (STAIN GUARD) - Fabric tiles only comes inside the workstations. The workstation tables should be as per FEATHERLITE Model name: NEO 50mm L SHAPE WORKSTATION or equivalent model in approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) | NOS | 27 |
| 31 | Supply and fixing of CONFERENCE HALL TABLE SIZE: 9050L X 1850D X750HT Conference table shall be custom made as per tender drawing and shall Consisting of 5 parts top made out of 36mm (19mm x 2) thick BWP with approved laminate of 1mm thickness, And with teak wood lipping (12mm x 40mm) stained and finished with 2 coats melamine polish to match the | NOS | 1 |




| SI. NO | DESCRIPTION OF WORK | UNIT | QTY |
|--------|---|------|-----|
| | colour of the approved laminate which is to be provided throughout the perimeter of the table top. The curved portions are made with 19mm thick BWP flexi plywood as shown in the detail drawing, Vertical supports made out of 19mm (19mm x 1) BWP Plywood. Suitable raceways to accommodate all services under table top to be provided with switches/ sockets on table as shown in drawing. LED strip light (warm white) inside aluminium channel with acrylic diffuser placed as shown in the drawing. All vertical and horizontal supports to be finished with 1mm approved laminate and wood connections with headless nails etc., complete. | | |
| 32 | Supply and fixing of Cabin table :1500L X 600D X750HT,Side table:900L X 450D X 750HTwith specification of Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges, End Legs: MS powder coated PERFORM legs (50X50).Modesty Panel: 18mm thk pre lam board with 2mm PVC edge lipping of 450mm Ht, Wire Management: 350mm Anodized flip up Made of Aluminium in anodized finish, which has soft closure and three way wire access & PVC cable dump. For entry of cables from the floor into the cable dump Vertebra are provided. The table should be as per FEATHERLITE Model: PERFORM CABIN TABLE or equivalent model in approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) | NOS | 1 |
| 33 | Supply and fixing of CABIN TABLE MAIN TABLE : 1800L X 750D X 750HT,SIDE TABLE : 1200L X 450D X 750HT with Specifications of Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges, End Legs: MS powder coated PERFORM legs (50X50)Modesty Panel: 18mm thk pre lam board with 2mm PVC edge lipping of 450mm Ht. Wire Management: 350mm Anodized flip up Made of Aluminium in anodized finish, which has soft closure and three way wire access & PVC cable dump. For entry of cables from the floor into the cable dump Vertebra are provided. Table should be as per FEATHERLITE Model: PERFORM CABIN TABLE or equivalent model in approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) | NOS | 4 |
| 34 | supply and fixing of CABIN TABLE with specification of Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges, End Legs: MS powder coated PERFORM legs (50X50), Modesty Panel: 18mm thk pre lam board with 2mm PVC edge lipping of 450mm Ht. Wire Management: 350mm Anodized flip up Made of Aluminum in anodized finish, which has soft closure and three way wire access & PVC cable dump. For entry of cables from the floor into the cable dump Vertebra are provided. The table should be as per FEATHERLITE Model: PERFORM CABIN TABLE or equivalent model in approved make list.it is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) | NOS | 7 |
| 35 | Supply and fixing of Fixed Metal pedestal SIZE: 400W X 450D X 600HT with Specification of Pedestal are made of complete body and facia in 0.8mm thick MS powder coated to 50 microns. Telescopic channels for drawers, anti-tilt castor for bottom drawer, 4 nos of nylon castors of 50dia, handles for individual drawers and cylindrical lock. the fitting should be as per FEATHERLITE Model name: MODEL NAME: FIXED METAL PEDESTAL or equivalent model inapproved make list. It is responsibility of the vendor to | NOS | 36 |






| SI. NO | DESCRIPTION OF WORK | UNIT | QTY |
|--------|--|------|-----|
| | provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) | | |
| 36 | Supply and fixing of perform Meeting table SIZE : 2400L X 1200D X 750HT with Specifications of Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges. Support,End Legs: MS powder coated Perform legs Intermediate Legs: MS podwer coated 60X40mm legs and supporting MS cross beams (40X20mm).Wire Management: PVC Cable Tray with provision to mount switches and sockets as per the instructions of the consultant. Vertical wire entry covers for wire uptake from floor to cable tray and 450mm Aluminium Flip Up for switch access. The table should be as per FEATHERLITE Model name: PERFORM MEETING TABLE or equivalent model as per approved make list.it is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) | NOS | 1 |
| 37 | Supply and fixing of STEEL STORAGE SIZE : 90W x 116.85H x 45D (IN CENTIMETERS) with Specifications: of Top & Sides : CRCA Steel, Back : CRCA Steel, Shutters : CRCA Steel, Handle : Plastic Recessed Handle, Lock : Cam lock feature. The storage should be as per GODREJ INTERIO Model: STORWEL MINOR or equivalent model in approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) | NOS | 24 |
| 38 | Supply and fixing of STEEL CABINET STORAGE SIZE :91.4W x 174.2H x 32D (IN CENTIMETERS) with Specifications: of Top & Sides : CRCA Steel, Back : CRCA Steel, Shutters : CRCA Steel, Handle : Plastic Recessed Handle, Lock : Cam lock feature (IN LIBRARY-FIRST FLOOR). The cabinet storage should be as per GODREJ INTERIO Model: BOOKCS02DX - 4 DOOR BOOKCASE or equivalent model in approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS: REFER APPROVED BRAND LIST). | NOS | 3 |
| 39 | Supply and fixing of STEEL STORAGE SIZE : 91.6W x 198H x 48.6D (IN CENTIMETERS) with specification of Top & Sides : CRCA Steel, Back : CRCA Steel, Shutters : CRCA Steel, Handle : Mazak, Lock : 3 way locking mechanism. The Storage should be as per GODREJ INTERIO Model: STORWEL PLAIN or equivalent model in approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS: REFER APPROVED BRAND LIST). | NOS | 12 |
| 40 | Providing High Back Leather Chair -with the specifications of High back with a height of 114 cm(min.) to 124 cm(max), Arm rest height of 67 cm, Arm to Arm width of 53 cm, with cushioned leather seat, chair width of 65.5 cm. Height of seat shall vary between 47 cm to 57 cm and a chair depth of 52.5 cm with 5 prompt castor wheels with gas lift and tilt . The chair shall be similar to Featherlite model no: Tycoon CS 6031E or equivalent model in approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST). | NOS | 2 |





| SI. NO | DESCRIPTION OF WORK | UNIT | QTY |
|--------|---|------|-----|
| 41 | Providing Leatherette Medium Back Chair- with the specifications of Medium back with a height of 101 cm (min.) to 111 cm(max), Arm rest height of 63 cm, Arm to Arm width of 47 cm, seat width of 49.5 cm. Height of seat shall vary between 42.5 cm to 54 cm and a seat depth of 48.5 cm with 5 prompt castor wheels with gas lift. The Chair shall be similar to Featherlite model: Leatherette Medium Back Chair or equivalent model in approved make list.it is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS: REFER APPROVED BRAND LIST). | NOS | 38 |
| 42 | Providing Premium Medium Back Chair- with the specifications of a height of 1175 mm (min.) to 1275 mm (max), Arm rest height of 180-270mm, Arm to Arm width of 435±10mm, seat width of 485±10mm. Height of seat shall vary between 435±10mm to 535±10mm and a seat depth of 450±10mm with 5 prompt castor wheels with gas lift and tilt. The chair shall be similar to Featherlite Astro Medium Back Mesh Chair with Padded Lumbar Support & Cushion Seat(Black) or equivalent model in approved make list.it is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery.(BRANDS:REFER APPROVED BRAND LIST) | NOS | 4 |
| 43 | Providing Medium Back Chair- with the specifications of with a height of 990±10mm mm(min.) to 1090±10mm mm(max), Arm rest height of 160-250mm, Arm to Arm width of 455±10mm, seat width of 505±10mm, fabric material. Height of seat shall vary between 470±10mm to 570±10mm and a seat depth of 660±10mm with 5 prompt castor wheels with gas lift and tilt (metal grey base) . The Chair shall be similar to Featherlite-COMET MB or equivalent model in approved make list. .It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery.(BRANDS:REFER APPROVED BRAND LIST) | NOS | 36 |
| 44 | Providing Low medium Back Chair (for visitor chair) with AC -60 Mesh, Fabric Cushioned Seat, Powder coated Four Legs, Fixed Arms. The chair shall be similar to Featherlite -SMART VA or equivalent model in approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery.(BRANDS:REFER APPROVED BRAND LIST) | NOS | 33 |
| 45 | Providing Premium Leatherette three seater sofa (with solid wood frame work)-with the specifications of dimension (2020mmX905mmX850mm) with a seating height of 495mm,Arm height of 610mm,seat depth 520mm,back height 395mm,seating height of 495mm with premium leatherette material matt finished white cream colour with Contemporary style. Sofa shall be similar to Durian-Lorraine L 47 Model or equivalent model as per approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) | NOS | 4 |






| SI. NO | DESCRIPTION OF WORK | UNIT | QTY |
|--------|--|------|-----|
| 46 | Providing Premium Leatherette single seater sofa (with solid wood frame work) with the specifications of dimension(1020mmX905mmX850mm) with a seating height of 495mm, Arm height of 610mm, seat depth 520mm, back height 395mm, seating height of 495mm with premium leatherette material matt finished white cream colour with Contemporary style. Sofa shall be similar to Durian-Lorraine L 47 Model or equivalent model as per approved make list..It is responsibility of the vendor to provide the sample and get the approval from the consultants for colour /type before delivery.(BRANDS:REFER APPROVED BRAND LIST). | NOS | 4 |
| 47 | Providing Coffee table (set of 2) -with the specifications of dimension big(41cmX51cmX51cm),small(36cmX46cmX46cm), with a metal material white & gold finish colour. The table should be as per Redwud product code : FN2082313-SPM40104 or equivalent model in approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) | NOS | 4 |
| 48 | Providing Side table -with the specifications of dimension big(50cmX30cmX30cm),small with a Porcelain material white colour .Table shall be as per brand Casacraft from Pepperfry and product code : FM1923687-S-WH32488 or equivalent model in approved make list. It is responsibility of the vendor to provide the sample and get the approval from the consultants before delivery. (BRANDS:REFER APPROVED BRAND LIST) | NOS | 2 |
| VIII | PAINTING | | |
| 49 | Providing Texture Painting and applying two coats of Apcolite satin Emulsion Paint of approved brand and shade for two or more coats over priming coat, works over sponge plastered surfaces on Exterior surfaces of walls , underneath roof projections etc., including preparing the surface by cleaning the cement mortar, removing the dust/dirt/oil/grease, sanding, filling up the dents, cracks, undulations with crack filler of approved make, erecting and dismantling of scaffolding, curing etc., complete. (BRANDS:REFER APPROVED BRAND LIST) | Sqm | 42 |

| REFERENCE IMAGES | | |
|------------------|---|--|
| BOQ SI.NO | Description | REFERENCE IMAGES |
| VI | LIGHT FIXTURES | |
| 23 | Architectural light fixture and luminaire Decorative light at conference room and drivers. All other electrical conduits, cables, etc., |  |
| 24 | Architectural light fixture and luminaire Decorative light at VIP LOUNGE and drivers. All other electrical conduits, cables, etc., actor. |  |
| 25 | Architectural light fixture and luminaire Decorative light at VIP LOUNGE and drivers. All other electrical conduits, cables, etc., |  |
| VII | LOOSE FURNITURES | |

| REFERENCE IMAGES | | |
|------------------|--|--|
| BOQ SI.NO | Description | REFERENCE IMAGES |
| 30 | Supply and fixing of L SHAPE WORKSTATION with specification of partition height of 1200mm frame with top and sides in Aluminium trims and junctions with diecast caps. |  |
| 32 | Cabin table |  |
| 33 | CABIN TABLE MAIN TABLE |  |

| REFERENCE IMAGES | | |
|------------------|-----------------------|---|
| BOQ SI.NO | Description | REFERENCE IMAGES |
| 34 | CABIN TABLE |  |
| 35 | FIXED METAL PEDESTAL | <p>SOMETRIC VIEW</p>  |
| 36 | Perform meeting table |  |
| 37 | STEEL STORAGE SIZE |  |
| 38 | STEEL CABINET STORAGE |  |

| REFERENCE IMAGES | | |
|------------------|------------------------------|---|
| BOQ SI.NO | Description | REFERENCE IMAGES |
| 39 | STEEL STORAGE SIZE |  |
| 40 | High Back Leather Chair |  |
| 41 | Leatherette Medium BackChair |  |
| 42 | Medium Back Chair |  |
| 43 | Medium Back Chair |  |

| REFERENCE IMAGES | | |
|------------------|---|---|
| BOQ SI.NO | Description | REFERENCE IMAGES |
| 44 | Low medium Back Chair(for visitor chair) |  |
| 45 | Premium Leatherette three seater sofa |  |
| 46 | Premium Leatherette single seater sofa |  |
| 47 | Coffee table |  |
| 48 | Side table |  |