

BEML LIMITED

(A Govt. of India Mini Ratna Company Under Ministry of Defence)
 'BEML SOUDHA', 23/1, 4th Main Road, S.R. Nagar, Bangalore – 560 027
 Tel.080-22963179/315

Sub: CONSOLIDATED CORRIGENDUM for Setting up of Disaster Recovery facilities for NON SAP applications from BEML Data Centre (DC), Bangalore to Disaster Recovery (DR) site at BEML Mysore with CAMC for 3 years.

Ref. BIN: 6300033706 dated 05.08.2020

The consolidated Corrigendum (Corrigendum -1 & Corrigendum -2) and new amendment to the tender clauses (page no 20 & 22 of highlighted points) are issued to tender.

| S No | Page No | Section No. | RFQ Clause | Bidders Query | BEML Reply |
|------|---------|-------------------------------|---|---|--|
| 1 | 41 | Annexure G, Clause 1 | The bidder and its associated group companies delivering the IT Services must have ISO 27001 / ISO 9001 or any equivalent ISO Certificate | We request the following changes. | The bidder or its associated group companies delivering the IT Services must have ISO 27001 / ISO 9001 or any equivalent ISO Certificate |
| 2 | 42 | Annexure G, Clause 8 to 11 | Non Mandatory clauses | Request BEML to make these clauses a mandatory clauses to be fulfilled by the Bidder only | Even though it is non mandatory bidder has to fill & submit as indicated in the tender |

| | | | | | |
|---|----|------------------------------------|--|--|--|
| 3 | 11 | Other Terms & Conditions of Tender | d) Project Duration: The supply, installation and commissioning within 10 weeks from the date of receipt of Purchase order | request to change The supply, installation and commissioning within 12 weeks from the date of receipt of Purchase order. | Project Duration: The supply, installation and commissioning within 12 weeks from the date of receipt of Purchase order. |
| 4 | 12 | Comprehensive AMC support payment | Payment will be made in arrears on completion of each quarter (every 3 months) of service duly certified by IT Department for each project | We request this to be amended to Yearly in advance as we will have similar payment structures with our vendors. | no change |
| 5 | 12 | Payment Terms | Client has proposed 100% payment on system installation | We request this to be amended to industry standard of 70% on delivery , 20% on install and 10% on production of Final acceptance certificate | Payment terms: a). 50% of the payment towards Hardware,Software, and all related licenses after 30 days of Delivery. b). Remaining 50% of the value of Hardware ,Software and Related licenses along with 100% of Installation and commissioning charges to be payed to Vendor after 60 days from the date of Installation and commissioning of entire DR solution duly certified by User department |

| | | | | | |
|---|----|-------------|---|---|-----------|
| 6 | 13 | Termination | BEML shall exercise the option to terminate the contract with one month notice in the event of Non-Performance/Poor Performance and encash the PBG. BEML also reserve the right to review and modify the contract at any point of time during the contract period | We request this to be amended as, All modifications of contract will be mutually discussed between NTT and BEML. | No change |
| 7 | 12 | 5(e)(d) | e) Warranty Clause: The Vendor should provide three years warranty for the Hardware, Software and all licenses provided from the date of installation and commissioning. f) The CAMC support Period of three years for the Entire DR setup will begin from the date of installation and commissioning | Kindly confirm your understanding that all warranty terms & conditions in respect of products/software supplied will be as per the OEM/OSD warranty terms and conditions and Bidder being an authorized reseller, will pass on such warranties "as-is", to the BEML. All implied warranties are excluded. | No change |
| 8 | 13 | 5(l) | I) Liability / Accident: The Bidder shall indemnify and keep indemnified BEML Limited against all losses and claims for injuries and damages to any person or property whatsoever which may arise out of or in consequence of the construction or maintenance of the work and against all claims, demands, proceedings, damages, costs, changes, expenses whatsoever in respect thereof in relation thereto. | We request that provisions related to Indemnity be restricted to Third party indemnification claims arising from infringement of IPR in respect of the Services provided by the Bidder. Further the below limitation of liability clause needs to be included: The cumulative liability of the bidder under the scope of this RFQ applicable to the maximum extent allowed in Indian laws irrespective of claims under contract, torts or other legal theory is limited to 50% of the charges paid or payable for such Goods and Services under the relevant PO/SOW during the | No change |

| | | | |
|----|----|------|--|
| | | | applicable contract year. |
| 9 | 13 | 5(o) | <p>Neither party shall be liable for indirect, special and consequential loss and damages including but not limited to loss of profit, anticipated savings, loss of data, loss of business.</p> <p>o) Risk Purchase Clause: In the event of Non Performance of the order, BEML reserves the right to avail the services from alternate source at the bidder risk and cost apart from recovery/en-cash of EMD/PBG.</p> |
| 10 | 13 | 5(q) | <p>This clause needs to be excluded considering that we are authorised partner for the respective OEM and will be executed by NTT.</p> <p>q) Termination: BEML shall exercise the option to terminate the contract with one month notice in the event of Non-Performance/Poor Performance and en-cash the PBG. BEML also reserve the right to review and modify the contract at any point of time during the contract period.</p> <p>Kindly confirm that BEML shall only exercise the option to terminate the contract after 30 days of notice to remedy any performance issues. Further such termination shall not affect the rights of the Bidder already accrued.</p> |

| | | | | | |
|----|----|-------|---|--|-----------|
| 11 | 14 | 12(1) | <p>Arbitration: For firms other than PSUs: In the event of any dispute or difference relating to the interpretation and application of the provisions of this Agreement, such dispute or difference shall be referred by either party for Arbitration to the Sole Arbitrator to be appointed by BEML. The Arbitration proceedings shall be in accordance with the provisions of Arbitration and Conciliation Act, 1996 and Rules framed there under. The place of Arbitration shall be at Bangalore and all Arbitration proceedings shall be conducted in English language and governed by the above said Act and Rules.</p> <p>Courts at Bangalore shall alone have sole jurisdiction to decide any issue arising out of the Arbitration or this Agreement</p> | <p>Kindly note the revised clause, arbitrator must be mutually agreed upon: In the event of any dispute or difference relating to the interpretation and application of the provisions of this Agreement, such dispute or difference shall be referred by either party for Arbitration to the Sole Arbitrator to be appointed by mutual agreement between both parties. The Arbitration proceedings shall be in accordance with the provisions of Arbitration and Conciliation Act, 1996 and Rules framed there under. The place of Arbitration shall be at Bangalore and all Arbitration proceedings shall be conducted in English language and governed by the above said Act and Rules.</p> | No change |
| 12 | 15 | 12(5) | <p>5. INTELLECTUAL PROPERTY RIGHTS; LICENSES :</p> <p>If any Patent design, trademark or any other intellectual property rights apply to the delivery or accompanying documentation, Purchaser shall be entitled to the legal use thereof free of charge by means of a non-exclusive, worldwide, perpetual license. All intellectual property rights that arise due to the execution of the delivery by the Supplier and by its employees or third parties involved by the Supplier for performance of the agreement belong to Purchaser.</p> | <p>As far as IPR indemnities in respect of third party products/software supplied are concerned, since Bidder is not the manufacturer or developer of such products/software, we will pass on indemnities, as provided by the applicable OEMs/Software Licensors. All indemnities in respect of such products and software will be as per OEM terms and conditions or End User License Agreements from the Software Licensors. Bidder</p> | No change |

| | | |
|--|---|--|
| | | |
| | <p>The Supplier shall be obligated to do everything necessary to obtain or establish the above mentioned rights. The Supplier guarantees that the delivery does not infringe on any of the intellectual property rights of third parties. The Supplier shall also be obligated to do everything necessary to obtain or establish the alternate acceptable arrangement pending resolution of any (alleged) claims by third parties. The Supplier shall indemnify the Purchaser against any (alleged) claims by third parties in this regard and shall reimburse Purchaser for any damages suffered as a result thereof. "The Supplier shall comply with all applicable Labor Laws, particularly Contract Labor (Regulation & Abolition) Act, 1970, ESI Act, Gratuity Act, Payment of Bonus Act, Payment of Minimum Wages Act, Provident Fund Act etc., and Rules framed therein from time –to–time and the Supplier shall indemnify the Company for any loss caused to it by reason of inaction, non-compliance etc., of the provisions of any Law by the Supplier".</p> | <p>however, agrees to indemnify BEML, in case of third party infringement claims in respect of Services provided by the Bidder. Also, besides this the Bidder's indemnity would be limited to STATUTORY / REGULATORY FINES, ASSESSMENTS OR PENALTIES incurred by BEML as a result of breach of applicable taxes, anti-bribery laws and modern slavery laws.</p> <p>We further request that the aggregate liability of the Bidder under this RFP and the consequent contract with the successful Bidder is capped to the Annual Contract Value or the amount paid to the successful Bidder in the 6 months period immediately preceding the date of cause of action. We request clarification that neither Party shall not be liable for indirect, remote, consequential, exemplary damages, including loss of profit, revenue, data, business opportunity.</p> |

| | | | | |
|----|----|--------|--|---|
| 13 | 15 | 12(6) | <p>6. BRIBES AND GIFTS</p> <p>Any bribe, commissions, gift or advantage given, promised or offered by or on behalf of the supplier or his partner, agent or servant or anyone on his or on their behalf to any officer, servant, representative or agent of BEML or any person on his or their behalf in relation to the obtaining or to the execution of or any other contract with BEML Ltd., shall in addition to any criminal liability which the supplier ,may incur, subject the supplier to the cancellation of this and all other contracts with BEML and also for payment of any loss or damage resulting from any such cancellation to like extent hereof. Any question or dispute as to the commissions of any offence under the present clause shall be settled by BEML in such manner and on such evidence of information as they may think fit and sufficient and their decision shall be final and conclusive.</p> | <p>Bidder will comply with all applicable anti bribery rules & regulations.</p> |
| 14 | 17 | 12(13) | <p>13 ASSIGNMENT OF RIGHTS AND OBLIGATIONS; SUBCONTRACTING:</p> <p>The supplier is not permitted to subcontract the delivery or any part thereof to third parties or to assign the rights and obligations resulting from this agreement in whole or in part to third parties without prior written permission from Purchaser. Any permission or approval given by the Purchaser shall, however, not absolve the supplier of the responsibility of his obligations under the contract.</p> | <p>Kindly confirm that such consent shall not be unduly withheld or delayed.</p> <p>No change</p> |

| | | | | | |
|----|----|--|---|---|--|
| 15 | 4 | EMD | EMD amount Rs. 1,44,000/- | Request BEMPL to reduce the EMD amount to Rs. 50,000/- | EMD amount Rs. 48,000 (changed from Rs. 1,44,000) |
| 16 | 9 | 3 MANDATORY CLAUSE | Average annual financial turnover during the last three years, ending 31st March of the previous financial year (i.e.2016-17,2017-18& 2018-19) should be minimum Rs. 21.60 Lakhs. 2016-17 Rs. 2017-18Rs. 2018-19Rs. Audited copies of Profit & Loss account balance sheet for previous three financial years duly certified by the auditor shall be uploaded in the c-folder. | Request BEMPL to change it to : Average annual financial turnover during the last three years, ending 31st March of the previous financial year (i.e.2017-18,2018-19 & 2019-20) should be minimum Rs. 21.60 Lakhs. 2017-18Rs. Audited copies of Profit & Loss account balance sheet for previous three financial years duly certified by the auditor shall be uploaded in the c-folder. | No change |
| 17 | 12 | 5) Other Terms & Conditions of Tender, e | Warranty Clause: The Vendor should provide three years warranty for the Hardware, Software and all licenses provided from the date of installation and commissioning. | Request BEMPL to change it to : Warranty Clause: The Vendor should provide three years warranty for the Hardware, Software and all licenses provided from the date of billing | No change |
| 18 | 12 | 5) Other Terms & Conditions of Tender, f | The CAMC support Period of three years for the Entire DR setup will begin from the date of installation and commissioning | Request BEMPL to change it to : The CAMC support Period of three years for the Entire DR setup will begin from the date of billing | No change |

| | | | | | |
|----|----|--|--|--|-----------|
| 19 | 13 | 5) Other Terms & Conditions of Tender, i | Liquidated Damages (LD): If the Supplier exceeds any agreed delivery date (s) or period(s), purchaser shall levy LD for such delay @ 0.5% per week (7days) and part thereof, subject to a maximum of 5% of the value of the delayed portion of the Purchase Order. GST at applicable rates shall be charged extra on the liquidated damages recovered | Request BEML to change it to : Liquidated Damages (LD): If the Supplier exceeds any agreed delivery date (s) or period(s), purchaser shall levy LD for such delay @ 0.5% per week (7days) and part thereof, subject to a maximum of 2% of the value of the delayed portion of the Purchase Order. GST at applicable rates shall be charged extra on the liquidated damages recovered | No change |
| 20 | 13 | 5) Other Terms & Conditions of Tender, q | Termination: BEML shall exercise the option to terminate the contract with one month notice in the event of Non-Performance/Poor Performance and en-cash the PBG. BEML also reserve the right to review and modify the contract at any point of time during the contract period. | Since BEML will encash the PBG in the event of Poor Performance hence request BEML not to terminate the contact. | No change |
| 21 | 11 | 5) Other Terms & Conditions of Tender, c | Within 30 days of receipt of the Work Order/Purchase order from the BEML Limited, the successful Bidder shall furnish to BEML Limited a Security in the form of Performance Bank Guarantee issued by any scheduled commercial bank authorised by RBI for an amount of 10% of the Contract value (without taxes) as per format enclosed at Annexure - G | Request BEML to change it to : Within 30 days of receipt of the Work Order/Purchase order from the BEML Limited, the successful Bidder shall furnish to BEML Limited a Security in the form of Performance Bank Guarantee issued by any scheduled commercial bank authorised by RBI for an amount of 5% of the Contract value (without taxes) as per format enclosed at Annexure - G | No change |

| | | | | |
|----|-----------------------------------|--|--|---|
| 22 | Part B (technical Bid)- mandatory | The bidder and its associated group companies delivering the IT Services must have ISO 27001 / ISO 9001 or any equivalent ISO Certificate | we have, ISO 90001:2015 certificate, weather this certificate is equivalent ?, please confirm from your end. | ISO 27001 certification is also required. Also refer Sno 1. of the corrigendum-1 |
| 23 | Part B (technical Bid)- mandatory | The bidder should have their Remote Operations Support Centre in India with 24x7x4 toll free access. The Remote Support Centre should be manned by the officials having ITIL v3 certification or equivalent. | Would like to understand the relevance of this since we are anyways giving the back to back OEM warranty & support as per your ask , if at all it's a mandate request you to allow us to have a back to back up tie-up with the 3 rd party having the required infrastructure & certification | Bidder is required to have their own support center for 1st level of contact for any support. So No change |

| | | | | |
|----|--|--|--|---|
| 25 | Scope of the Project | The Service provider should provide warranty and Comprehensive Support for the supplied hardware and Software for a period of three years from the date of Installation and signoff of the Project. | What if the site is not ready even after the delivery is done ? Is it possible to get “Site readiness certificate” or a mail confirmation on site readiness in writing against the PO/WO | BEML will provide Mail once PO is placed |
| 26 | EMD | In the tender document department has mentioned that the vendors are exempted from the EMD if they have relevant exemption certificate. | We are registered under MSME Udyog Adhar, Please clarify weather this will be valid for exemption and and we are uploading the certificate for your reference. Attached 1. ISO certificate / 2. MSME exemption certificate. | Bidders registered under MSE category, should submit / upload the Udyog Aadhar or Udyam Certificate. |
| 27 | Annexure -C (Backup – Software - Licensing) | The proposed Backup software must offer host based / GPU based licensing with no restrictions on type of arrays (protecting heterogeneous storage technologies), front end production capacity or backup to disk target capacity restrictions. Licenses and associated hardware should be supplied for both primary and DR site. | Is the proposed Backup Solution must support Disk to Disk to Tape Backup? What is the Front End Data Capacity? And What are the backup and Retention Policies on the Disk Appliance? How many Physical Servers and what are the their Socket count ? | Disk to Disk Tape back up is required. Backup and Retention Policies should be as per bidder. Details on number of server and socket count is given in the RFQ. |
| 28 | Annexure -C (Backup – Software - Data Protection & Recovery) | Software should be able to restore VMs directly from the backup copy | Software should be able to restore At least 10 VMs directly from the backup copy. | It should not be limited to 10 VMs, there can be more VMs in future. No change |

| | | | |
|----|--|---|---|
| 29 | Annexure -C (Backup_ Software - Backup support for hyperviso rs and Applications | Backup software should be a Hardware Agnostic software and it should support snapshot integration with hypervisors like VMware, Hyper-V and support de-duplication on the storage targets quoted. It should be able to backup data to tapes (like LTO) as well for long term retention | Backup software should be a Hardware Agnostic software and it should support snapshot integration with hypervisors like VMware, Hyper-V and support de-duplication on the storage targets quoted. It should be able to perform Disk to Disk to Tape backup for long term retention. |
| 30 | Annexure -C (Backup_ Software - Backup support for hyperviso rs and Applications | Backup software should have integrated data de-duplication engine with multi-vendor storage support to save space by storing de-duplicated copies of data. The de-duplication engine should also facilitate IP base replication of de-dupe data. All necessary hardware and software required to support this functionality should be supplied along with other components. | Data De-Duplication supported only on the Disk as Target device. Please confirm the Disk to Disk to Tape backup methods. |
| 31 | Annexure -C (Backup_ Software - Backup support for hyperviso rs and Applications | Backup software should provide best RTOs and RPOs through booting of Virtual Machines directly from the Backup to reduce the downtime | Complete Backup Must finish in 08 Hrs. All the required software, Hardware and licenses must be added by the OEM/Bidder to meet the SLA |

| | | | | |
|----|--|---|---|--|
| 32 | Annexure -C (Backup _ Software)- RPO/RTO and Recovery Assurance | Backup software must have a feature of data validation, whereby a workload (VM with OS and application) is powered-on in a sandbox environment and tested for its recoverability. | Backup software must have a feature of data validation, whereby a workload (VM with OS and application) is powered-on in a sandbox environment and tested for its recoverability. | No change |
| 33 | Annexure -C (Backup _ Software) | Backup software proposed should be in Gartner's leader quadrant of the latest gartner Magic Quadrant report for Data Protection / Backup Software. | We suggest to include the IDC also. It is suggested to mention that Proposed solution must have at least 10% Share from the latest IDC Report and it must be authorised by IDC. | Gartner report is preferred across PSUs in India and it can not be changed. However, limiting to 10% market share is not advisable. Hence No change |

| | | | | |
|----|--|---|---|--|
| 34 | <u>Annexure -C (Backup – Software)</u> | <p>Backup software must have a feature of data validation, whereby a workload (VM with OS and application) is powered-on in a sandbox environment and tested for its recoverability.</p> <p>Recovery verification should automatically boot the server from backup and verify the recoverability of VM image, Guest OS and Application Consistency and then publish automated reports to be used in backup / recovery audits.</p> | <p>With applications hosted in mixed environments, taking backup ;replication would be more challenging.</p> <p>1. For expected RPO of 1 hr and RTO of 15 minutes, it is highly recommended to have the same type of environments both at DC and DR.</p> <p>2. As a suggestion to have robust solution for backup and replication, all mentioned (4 apps and 2 MS SQL DB) applications be converted/migrated to Windows HYPER-V</p> <p>environment. We suggest to add the conversion of these applications as a scope in the tender.</p> <p>3. With applications hosted in homogenous environment at DC, same can be replicated to DR and expected RPO and RTO can be achieved</p> <p>4. For migrating the applications, temporary server would be required and would be provided by BEML</p> | <p>Ideally it is Vendor scope of Interpretation. They can suggest their method to meet the requirement but as per the requirement provided in RFQ.. (Ideally the scope remains same for backup software requirement)</p> <p>No change</p> |
|----|--|---|---|--|

| | | | | |
|----|---|---|---|--|
| 35 | Annexure -C (Requirement for Backup Server -DR) HDD bays | Populated with 3.84TB*2 SATA SSD + 64TB 7.2K RPM SATA HDD Support 12+4+3 LFF with 2 SFF HDD/SSD The drive carrier should have intuitive icon based display along with "DO NOT REMOVE" caution indicator that gets activated automatically in order to avoid downtime due to wrong drive removal. | During disaster recovery, with this type of set up, it would take more than expected to bring the applications up at DR | Server is sized as per per current requirement and bidder has to quote as per RFQ Specification. Hence Point remain unchanged. Depends on Vendor choice |
| 36 | Annexure -C (Requirement for Backup Server -DR) - Operatin g Systems and Virtualiz ation Software Support | Hyper vare ClearOS | Remove ClearOS, not part of standard OS availability | ClearOS is certified on major OEMs and it is required. Hence Point remain unchanged. |
| 37 | Annexure -C (Requirement for Backup Server -DR) - GPE Support | System should support NVIDIA's latest computational accelerators and graphics accelerators | What model of Nvidia GPU Card would be considering in the future as each model comes with different dimensions , PCI card type needs & specifications | Proposed server should support Nvidia GPUs. Hence Point remain unchanged. Hence No Change |

| | | | | |
|----|--|---|--|---|
| 38 | Annexure -C (Requirement for Backup Server -DR) Networking Features (sno. 8) | Server should support below networking cards: 1. 1Gb 4-port network adaptors - 1 No. | Since BEML does not have 10Gb switches, having 10Gb port in server will not serve any purpose. Also to make 10Gb ports utilised efficiently, source servers should also have 10Gb ports As per the tender requirement 1GB port would be sufficient for the backup We suggest BEML to re-evaluate this requirement and confirm | Since BEML will be using this server for more than 5 yrs, and Network refresh being planned , Server should have 2 Port 10 Gig port and will be required by BEML in future when 10 Gig Port is required. Hence No change |
| 39 | Annexure -C (Requirement for Backup Server -DC) Networking features | Server should support below networking cards: 1. 1Gb 4-port network adaptors 2.. 10Gb 2-port Ethernet adaptor | Since BEML does not have 10Gb switches, having 10Gb port in server will not serve any purpose. Also to make 10Gb ports utilised efficiently, source servers should also have 10Gb ports As per the tender requirement 1GB port would be sufficient for the backup We suggest BEML to re-evaluate this requirement and confirm | No change |
| 40 | Annexure -C (Requirement for Backup Server -DC) - HDD Bays | Populated with 64TB 7.2K RPM SATA HDD Support 12+4+3 LFF with 2 SFF HDD/SSD instead of what has been mentioned (12+4+3), Is the 64TB Capacity mentioned usable or raw space | Kindly change the Chassis support to (12*3.5" inch HDD) instead of what has been mentioned (12+4+3), Is the 64TB Capacity mentioned usable or raw space | No change 64TB is the R.A.W capacity and bidder can configure RAID 5/6/10. |

| | | | | |
|----|--|--|---|--|
| 41 | Annexure -C (Requirement for Backup Server -DC) - Operating Systems and Virtualiz ation Software Support | Hyperware ClearOS | Remove ClearOS, not part of standard OS availability | ClearOS is certified on major OEMs and it is required. Hence Point remain unchanged. |
| 42 | Annexure -C (Requirement for Backup Server -DC) - GPU Support | System should support NVIDIA's latest computational accelerators and graphics accelerators | What model of Nvidia GPU Card would be considering in the future as each model comes with different dimensions , PCI card type needs & specifications | Proposed server should support Nvidia GPUs. Hence Point remain unchanged. |
| 43 | Newly added | User End Dept.changes in Price bid format | To be Added - UPS 2.5kVA and 1 Gig Network Switch | Specification for 1 Gig Network Swtich (Specification as per Annexure - I) and 2.5 KVA UPS (Specification as per Annexure - II) are to be included in the scope of supply |

| | | | | |
|----|--|---|--|---|
| 44 | Tender Last date for Vendors is 20.08.2020 | The last date for submission of date is 20.08.2020 | <p>Two Vendors have submitted and requested tp extend the RFQ due date to 3rd September (03.09.2020) to enable us to table the complete Techno-commercial response.</p> <p>2. Another Vendor has considering to participate in said tender, however we need additional time to prepare for the bid submission.</p> | <p>It is recommended to extend the tender date till 03.09.2020</p> |
| | | <p>In this regard we kindly request you to consider extension of bid submission due date till 31st August 2020.</p> | | |

2.5 KVA Online UPS with 1hour battery backup on full load

| Sr. No. | Parameters | Specification |
|---------|------------------------|---|
| 1 | Capacity | 2.5 KVA |
| 2 | Output Power Capacity | 2000 Watt or more |
| 3 | Phase | Single |
| 4 | Power Factor | >0.95 |
| 5 | Current TDH | <10% |
| 6 | Battery | 96V |
| 7 | Battery Charging | Constant Current and Constant Voltage charger |
| 8 | Nominal Output Voltage | 220/230/240 Vac |
| 9 | Battery Backup | 60 Minutes |

Annexure - II

Specification for Network Switch

| Sno | Specifications for 1 GIG 24 Port Switch | Compliance Yes / No | Remarks |
|-----|--|------------------------|---------|
| 1 | Architecture | | |
| 1 | 24 RJ-45 autosensing 10/100/1000 ports and fixed 4 SFP+ 56 (1/10/25 GbE ports) | | |
| 2 | Power consumption in accordance with IEEE-802.3z | | |
| 3 | The switch should have 1 dual-personality (RJ-45 or USB micro-B) serial console port | | |
| 4 | 4GB / 8GB SDRAM, 8GB / 32 GB of Flash Memory and 4 MB / 8 MB Packet buffer size | | |
| 5 | The Switch should have ASIC from the same OEM of the Switch | | |
| 6 | Shall have switching capacity of 448 Gbps | | |
| 7 | Shall have up to 334 million pps switching throughput | | |
| 8 | The Switch should support 32000 MAC address | | |
| 9 | Stacking with minimum support 10 Switches along with minimum 200Gbps of Stacking Backplane | | |
| 10 | Integrated Network Visibility and Analytical Capability | | |
| 11 | The switch should have Modular operating system with OVSDB to support a database-centric operating system. | | |
| 12 | The switch should support Auto-MDIX to provide automatic adjustments for straight-through or crossover cables on all 10/100/1000 and 1/10/25 Gig ports | | |
| 13 | The switch should support ACL with 5000 access control entries (Ingress) and QoS for IPv6 network traffic | | |

| | | | |
|------------|--|--|--|
| 14 | Hot Swappable redundant Power Supply and should have minimum 2 fan tray | | |
| 15 | The switch should support automation and programmability using built-in REST APIs and Python scripts | | |
| 16 | Some of the benefit by having python would be taking the backup of the previous configuration automatically, monitoring the App health. Script to help monitoring the App health | | |
| 17 | The switch should support Zero-Touch Provisioning (ZTP) | | |
| 18 | The switch should support IEEE 802.1Q (4094 VLAN IDs) and 2K VLANs simultaneously | | |
| II | Layer 3 routing | | |
| 1 | The switch should support minimum 64000 unicast and 8000 IPv4 multicast Routing entries | | |
| 2 | The Switch should support VXLAN, EVPN | | |
| 3 | The switch should support OSPFv2, OSPFv3 and BGP4 protocols for routing between access and the next layer on the LAN. | | |
| 4 | The switch should support Policy-based routing | | |
| III | Security | | |
| 1 | The switch should support IEEE 802.1X | | |
| 2 | The switch should support Web-based authentication | | |
| 3 | The switch should support MAC-based authentication | | |
| 4 | The switch should support Multiple IEEE 802.1X users per port | | |
| IV | Environmental Features | | |
| 1 | Shall support IEEE 802.3az Energy-efficient Ethernet (EEE) to reduce power consumption | | |
| 2 | Operating temperature of 0°C to 45°C | | |
| 3 | Safety and Emission standards including EN 60950; IEC 60950; VCCI Class A; FCC Class A | | |
| V | Warranty and Support | | |

| | |
|---|---|
| 1 | The below Warranty shall be offered directly from the switch OEM. |
| 2 | Limited lifetime warranty with advance replacement and next-business-day shipment |
| 3 | Software upgrades/updates shall be included as part of the warranty |
| 4 | The OEM shall be consistently present in Leaders in Gartner's Magic Quadrant for Wired and Wireless LAN Access Infrastructure for last 3 years (2019, 2018, 2017) |


ISSUED AS CORRIGENDUM -2

| S No | Section No. | RFP Clause | Bidders Query | BEMI Response |
|------|---|---|---|--|
| 1 | Annexure -C (Requirement for Backup Server -DR) - Operating Systems and Virtualization Software Support | Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) VMware ClearOS | Clear OS is an open source OS based on CentOS and Red Hat Enterprise Linux it's not an standard licensing. | Providing Support for ClearOS can be considered Optional and not mandatory |
| 2 | Annexure -C (Requirement for Backup Server -DC) - Operating Systems and Virtualization Software Support | Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) VMware ClearOS | Clear OS is an open source OS based on CentOS and Red Hat Enterprise Linux it's not an standard licensing. | Providing Support for ClearOS can be considered Optional and not mandatory |
| 3 | Annexure G, Clause 1 (Page No. 41) | The bidder and its associated group companies delivering the IT Services must have ISO 27001 / ISO 9001 or any equivalent ISO Certificate | We request the following changes. The bidder or its associated group companies delivering the IT Services must have ISO 27001 / ISO 9001 or any equivalent ISO Certificate - Bidder requested to clarify | The bidder or its associated group companies delivering the IT Services must have ISO 27001 / ISO 9001 or any equivalent ISO Certificate. To have more clarity. the above clause is defined as |

| | |
|---|---|
| 4 | <p>The bidder and its associated group companies delivering the IT Services must have ISO 27001 / ISO 9001 or any equivalent ISO Certificate</p> <p>we have, ISO 90001:2015 certificate, whether this certificate is equivalent?, please confirm from your end.</p> <p>below:</p> <p>The bidder or its Associated group must have:</p> <ol style="list-style-type: none"> 1. ISO 27001 certificate. 2. ISO 9001 or equivalent ISO certificate . <p>(ISO 9001:2015 certificate can be considered as equivalent certificate to ISO 9001)</p> |
|---|---|

All other terms and conditions notified in above referred tender enquiry remain unaltered

Note : This **Consolidated Corrigendum** alone form a part of the tender document, hence the bidders are requested to sign with Company seal and upload the scanned copy of the **Consolidated Corrigendum** in c-folder as part of Technical bid (Part B).



**General Manager
Corporate Materials**

**Bidder's Signature &
Company Seal**