

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**

FRONT SIDE OF THE MEDAL –



BACK SIDE OF THE MEDAL



SPECIFICATIONS OF SILVER QUALITY MEDALS –

1. No. of Medals - 42 Medals
2. Purity of Silver - 99% Pure
3. Weight of each medal - 15.0 gm. MIN. to 15.5 gm. MAX.
4. Dimension of each medal - 37.0 mm MIN. to 39.0 mm MAX.
with uniform thickness all over
5. The medals shall have BEML logo, Quality symbol “Q”, year “2020” embossed in the front and BEML equipment on the back side.
6. The medal should be true and have uniform thickness all over.
7. Each medal should be tied with Golden Yellow satin ribbon of 1-meter length and 25mm width and should be neatly packed in a separate polythene cover
8. Bulk supply should be made only after approval and clearance of 1 No. sample medal by Corporate Quality.
9. Certificate of purity of silver should be produced from a reputed laboratory.
10. Acceptance is subject to final clearance by Corporate Quality.

For any clarification, you may contact Mr. Ramesh Ph: 080 - 22963393

**Manager
Corporate Materials**